INDEX TO VOLUME 15

AUTHOR INDEX

* Original article.

† Abstract of paper presented at the Thirty-seventh Annual Meeting of the Endocrine Society.

ABRAMSON, D., and REID, D. E.: Use of relaxin in treatment of threatened premature labor, 206*

ABU HAYDAR, N.; LAIDLAW, J. C.; REDDY, W. J., and THORN, G. W.: Addison's disease with normal basal secretion of 17-hydroxycorticoids, 858†

——, *see* REDDY, W. J., 891†

ACHENBACH, H., *see* MEISSNER, W. A., 1432*

ADLERSBERG, D.; STRICKER, J., and HIMES, H.: Hazard of corticotropin and cortisone in patients with hypercholesteremia, 882†.

——, *see* BOSSAK, E. T., 857†

——, *see* WANG, C-I., 1308*

AINGER, L. E., and KELLEY, V. C.: Familial athyreotic cretinism; report of 3 cases, 469*

——, *see* ELY, R. S., 523*

ALBEAUX-FERNET, M.; GUIOT, J.; BRAUN, S., and ROMANI, J. D.: Results of surgical hypophysectomy in a case of malignant edematous exophthalmos, 1239*

ALBERT A., *see* BRAASCH, J. W., 732*

—— Recipient of 1955 Award of Merit, Am. Goiter Assoc., 1457

ALBRECHT, P., *see* HALBERG, F., 887†

ALBRIGHT, E. C., *see* LARSON, F. C., 836†

ALBRIGHT, F., *see* MOLDAWER, M. P., 846†

—— The 1955 Upjohn Scholar of the Endocrine Society, 910

ALDOUS, R., *see* MIGEON, C. J., 775*

ALEXANDER, C. S.: Some observations on water and electrolyte excretion in rats with diabetes insipidus, 870†

ALONSO DE FLORIDA, F., *see* FRIEDEN, E. H., 848†

ALPERS, J. B., and RALL, J. E.: The metabolism of iodine in cerebrospinal fluid, 1482*

ALTSZULER, N., *see* DE BODO, R. C., 897†

ANDERSEN, H.; ASBOE-HANSEN, G., and QUAADE, F.: Histopathologic examination of the skin in the diagnosis of myxedema in children, 459*

ANDERSON, J., *see* JACOBSON, W. E., 801*

ANKER, R. M.: Determination of estrogens in stored urines of pregnancy, 210*

——, Determination of pregnanediol in stored urine specimens, 36*

ARONS, W. L.; NUSIMOVICH, B., and VANDERLINDE, R. L.: Exchangeable body sodium and potassium measurements in hyper- and hypo-adrenocorticism, 854†

ARRILLAGA, F., *see* DE LA BALZE, F. A., 875†

ASBOE-HANSEN, G., *see* ANDERSEN, H., 459*

ASHLEY, M. M., *see* ROSENBAUM, J. D., 1459*

ASHMORE, J.; NESBETT, F. B., and HASTINGS, A. B.: Hormonally induced changes in glucose-6-phosphatase activity in rat liver, 897†

ASPER, S. P., JR., *see* SELENKOW, H. A., 285*

AYCOCK, R. R., *see* KASS, E. H., 167*

BAGGETT, B., *see* BAKER, W. H., 848†

BAKER, N., *see* MILLER, M., 860†

BAKER, W. H.; HENNEMAN, P. H.; BAGGETT, B.; ENGEL, L. L.; TIBBETTS, D., and BROWN, M.: The metabolic effect of 19-nortestosterone, 848†

BAKKER, J. H. J., *see* STOLTE, L. A. M., 762*

BALZE, DE LA, *see* DE LA BALZE

BARBOSA, F. X., *see* RALLI, E. P., 898†

BARNES, A. C., *see* ROTHCHILD, I., 151*

BARRETT, J. L., *see* SZILAGYI, D. E., 1409*

BARRNETT, R. J., *see* LADMAN, A. J., 871†

BARTON, E., *see* DANOWSKI, T. S., 1262*

BARTTER, F. C., *see* LIDDLE, G. W., 852†

——, *see* PECHET, M. M., 851†

BASTIANI, R. M., *see* DANOWSKI, T. S., 1262*

BATES, R. W., and CORNFIELD, J.: A comparison of iodine depletion methods for TSH assay in the chick, 838†

BAUER, W., *see* CALKINS, E., 856†

BECK, E. M., *see* RALLI, E. P., 898†

BECK, J. C., *see* VENNING, E. H., 853†

BEIERWALTES, W. H.: Response to thyroid (Editorial), 148*

——, *see* CASTOR, C. W., 862†

——, *see* JOHNSON, P. C., 865†

BEIGELMAN, P. M., *see* GOLDFIEN, A., 850†

BENEDICT, P. H., *see* MOLDAWER, M. P., 846†

BENFEY, B. G., *see* SAFFRAN, M., 840†

BENIRSCHKE, K., *see* BLOCH, E., 379*

BENJAMIN, G., *see* FISHMAN, W. H., 876†

BENNETT, W. A., *see* MORTENSEN, JD, 1270*

BENSON, R. C., and VOGEL, M. J.: The prin-

INDEX TO VOLUME 15

AUTHOR INDEX

* Original article.

† Abstract of paper presented at the Thirty-seventh Annual Meeting of the Endocrine Society.

ABRAMSON, D., and REID, D. E.: Use of relaxin in treatment of threatened premature labor, 206*

ABU HAYDAR, N.; LAIDLAW, J. C.; REDDY, W. J., and THORN, G. W.: Addison's disease with normal basal secretion of 17-hydroxycorticoids, 858†

——, *see* REDDY, W. J., 891†

ACHENBACH, H., *see* MEISSNER, W. A., 1432*

ADLERSBERG, D.; STRICKER, J., and HIMES, H.: Hazard of corticotropin and cortisone in patients with hypercholesteremia, 882†.

——, *see* BOSSAK, E. T., 857†

——, *see* WANG, C-I., 1308*

AINGER, L. E., and KELLEY, V. C.: Familial athyreotic cretinism; report of 3 cases, 469*

——, *see* ELY, R. S., 523*

ALBEAUX-FERNET, M.; GUIOT, J.; BRAUN, S., and ROMANI, J. D.: Results of surgical hypophysectomy in a case of malignant edematous exophthalmos, 1239*

ALBERT A., *see* BRAASCH, J. W., 732*

—— Recipient of 1955 Award of Merit, Am. Goiter Assoc., 1457

ALBRECHT, P., *see* HALBERG, F., 887†

ALBRIGHT, E. C., *see* LARSON, F. C., 836†

ALBRIGHT, F., *see* MOLDAWER, M. P., 846†

—— The 1955 Upjohn Scholar of the Endocrine Society, 910

ALDOUS, R., *see* MIGEON, C. J., 775*

ALEXANDER, C. S.: Some observations on water and electrolyte excretion in rats with diabetes insipidus, 870†

ALONSO DE FLORIDA, F., *see* FRIEDEN, E. H., 848†

ALPERS, J. B., and RALL, J. E.: The metabolism of iodine in cerebrospinal fluid, 1482*

ALTSZULER, N., *see* DE BODO, R. C., 897†

ANDERSEN, H.; ASBOE-HANSEN, G., and QUAADE, F.: Histopathologic examination of the skin in the diagnosis of myxedema in children, 459*

ANDERSON, J., *see* JACOBSON, W. E., 801*

ANKER, R. M.: Determination of estrogens in stored urines of pregnancy, 210*

——, Determination of pregnanediol in stored urine specimens, 36*

ARONS, W. L.; NUSIMOVICH, B., and VANDERLINDE, R. L.: Exchangeable body sodium and potassium measurements in hyper- and hypo-adrenocorticism, 854†

ARRILLAGA, F., *see* DE LA BALZE, F. A., 875†

ASBOE-HANSEN, G., *see* ANDERSEN, H., 459*

ASHLEY, M. M., *see* ROSENBAUM, J. D., 1459*

ASHMORE, J.; NESBETT, F. B., and HASTINGS, A. B.: Hormonally induced changes in glucose-6-phosphatase activity in rat liver, 897†

ASPER, S. P., JR., *see* SELENKOW, H. A., 285*

AYCOCK, R. R., *see* KASS, E. H., 167*

BAGGETT, B., *see* BAKER, W. H., 848†

BAKER, N., *see* MILLER, M., 860†

BAKER, W. H.; HENNEMAN, P. H.; BAGGETT, B.; ENGEL, L. L.; TIBBETTS, D., and BROWN, M.: The metabolic effect of 19-nortestosterone, 848†

BAKKER, J. H. J., *see* STOLTE, L. A. M., 762*

BALZE, DE LA, *see* DE LA BALZE

BARBOSA, F. X., *see* RALLI, E. P., 898†

BARNES, A. C., *see* ROTHCHILD, I., 151*

BARRETT, J. L., *see* SZILAGYI, D. E., 1409*

BARRNETT, R. J., *see* LADMAN, A. J., 871†

BARTON, E., *see* DANOWSKI, T. S., 1262*

BARTTER, F. C., *see* LIDDLE, G. W., 852†

——, *see* PECHET, M. M., 851†

BASTIANI, R. M., *see* DANOWSKI, T. S., 1262*

BATES, R. W., and CORNFIELD, J.: A comparison of iodine depletion methods for TSH assay in the chick, 838†

BAUER, W., *see* CALKINS, E., 856†

BECK, E. M., *see* RALLI, E. P., 898†

BECK, J. C., *see* VENNING, E. H., 853†

BEIERWALTES, W. H.: Response to thyroid (Editorial), 148*

——, *see* CASTOR, C. W., 862†

——, *see* JOHNSON, P. C., 865†

BEIGELMAN, P. M., *see* GOLDFIEN, A., 850†

BENEDICT, P. H., *see* MOLDAWER, M. P., 846†

BENFEY, B. G., *see* SAFFRAN, M., 840†

BENIRSCHKE, K., *see* BLOCH, E., 379*

BENJAMIN, G., *see* FISHMAN, W. H., 876†

BENNETT, W. A., *see* MORTENSEN, JD, 1270*

BENSON, R. C., and VOGEL, M. J.: The prin-

ciples of identification and measurement of vulvar fluorescence, 784*

BENUA, R. S., and DOBYNS, B. M.: Iodinated compounds in the serum, disappearance of radioactive iodine from the thyroid, and clinical response in patients treated with radioactive iodine, 118*

——; DOBYNS, B. M., and NINMER, A.: Triiodothyronine in the serum of patients treated with radioactive iodine, 1367*

BERGEN, J. R., *see* ELMADJIAN, F., 885†

BERGENSTAL, D. M., *see* LANDAU, R. L., 1194*

BERKHEISER, S. W.: Adult hypothyroidism; report of an advanced case with autopsy study, 44*

BERNHAND, W. G., *see* ROBINSON, H. J., 317*

BERNSTORF, E. C.: Difference in response of the normal and intrasplenically-grafted ovary to gonadotropin and estrogen, 874†

BIBEN, R. L., and GORDAN, G. S.: Familial hypogonadotropic eunuchoidism, 931*

BIRMINGHAM, M. K.; DESBARATS, M-L., and HOFFMAN, M. M.: Effect of age on the steroid output by rat adrenal glands *in vitro*, 883†

——, *see* SCHONBAUM, E., 893†

BISHOPRIC, G. A.; GARRETT, N. H., and NICHOLSON, W. M.: The thyroidal uptake of radioactive iodine as modified by an iodine-restricted diet, 592*

BLACK, B. M., *see* BRAASCH, J. W., 732*

BLACK, M. H., *see* DANOWSKI, T. S., 1262*

BLACKBURN, C. M., and POWER, M. H.: Diagnostic accuracy of serum protein-bound iodine determination in thyroid disease, 1379*

BLATT, M. H. G.; WEISBADER, H., and KUPPERMAN, H. S.: The effect of reserpine alone and in combination with estrogen and/or testosterone in the climacteric, 874†

——, *see* KUPPERMAN, H. S., 850†, 911*

BLIVAISS, B. B.; HANSON, R. O.; ROSENZWEIG, R. E., and KUTUZOV, H.: Effect of progesterone on the induction of Leydig-cell tumors with estrogen in strain A mice, 875†

BLOCH, E.; BENIRSCHKE, K., and DORFMAN, R. I.: The presence of Δ^4-androstene-3, 17-dione in prenatal and postnatal human adrenal glands (Letter to the Editor), 379*

——, *see* ELMADJIAN, F., 885†

BLOODWORTH, J. M. B., JR., and HAMWI, G. J.: The production of "steroid diabetes," albuminuria and glomerular changes simulating diabetic glomerulosclerosis by long-term administration of adrenocortical steroids, 883†

BOARD, F. A., *see* SABSHIN, M., 892†

BOGDONOFF, M. D., *see* OWENS, J. A., JR., 860†

BOGOCH, A., *see* WRENSHALL, G. A., 435*

BONDY, P. K., *see* KNIGHT, R. P., 176*

BONGIOVANNI, A. M., and EBERLEIN, W. R.: Studies of conjugates of C-21 steroids in human plasma, 855†

——, and EBERLEIN, W. R.: Adrenocortical steroids in the peripheral blood of man (Editorial), 1524*

——, *see* CLAYTON, G. W., 693*

——, *see* EBERLEIN, W. R., 1531*

BORMAN, A., *see* KESSLER, W. B., 849†

BOSSAK, E. T.; WANG, C-I, and ADLERSBERG, D.: Species variations in the response of serum proteins, lipids and lipoproteins to cortisone, 857†

——, *see* WANG, C-I, 1308*

BOUCOT, N., *see* DOHAN, F. C., 884†

BRAASCH, J. W.; ALBERT, A.; KEATING, F. R., JR., and BLACK, B. M.: A note on the iodinated constituents of normal thyroids and of exophthalmic goiters, 732*

BRADBURY, J. T., and SLATE, W. G.: Aberrant adrenal function, 1291*

——, *see* HODGES, R. E., 661*

BRAUN, S., *see* ALBEAUX FERNET, M., 1239*

BRODISH, A., and LONG, C. N. H.: Changes in blood ACTH under various experimental conditions, using the cross-circulation technique, 841†

BRONSTEIN, I. P., *see* KIEFER, J. H., 154*

BROWN, H., *see* ENGLERT, E., JR., 886†

BROWN, J.: Measurement of salivary and gastric secretion of I^{131} in the rat, 862†

BROWN, M., *see* BAKER, W. H., 848†

BUCKWALTER, J. A.: Childhood thyroid carcinoma; pathologic considerations and their therapeutic implications, 1437*

BULASCHENKO, H., *see* TOUCHSTONE, J. C., 760*, 854†

BURKS, R., *see* SAYERS, G., 840†

BURNETT, W. T., JR., *see* FURTH, J., 81*

BURRAGE, W. S., *see* HENNEMAN, P. H., 858†

BUSCH, R. D., *see* SILBER, R. H., 505*

BYERS, C., *see* KLEIN, R., 215*, 943*

CALKINS, E.; BAUER, W.; ENGEL, L. L., and CARTER, P.: Metabolic and endocrinologic consequences of abrupt cessation of long-term cortisone therapy in rheumatoid arthritis, 856†

CANTAROW, A., *see* D'ANGELO, S. A., 884*

——, *see* DEBIAS, D. A., 863†

CARMONA, N., *see* GREENBLATT, R. B., 877†

CARTER, P., *see* CALKINS, E., 856†
——, *see* ENGEL, L. L., 765*
CASPER, A. G. T., *see* LIDDLE, G. W., 852†
CASPI, E., and HECHTER, O.: Isolation of certain metabolites following perfusion of cortisol through isolated rat liver, 883†
——, *see* KASS, E. H., 167*
CASTOR, C. W., and BEIERWALTES, W. H.: Depression of serum protein-bound iodine levels in man with dinitrophenol, 862†
CHAMBERS, E. L., JR., and GORDAN, G. S.: Phosphate clearance in parathyroid disorders, 869†
CHANG, E., and SLAUNWHITE, W. R., JR.: A comparison of urinary Zimmermann chromogens by Girard fractionation and by Allen's method of correction (Letter to the Editor), 767*
CHANNICK, B., *see* NODINE, J. H., 347*
CHART, J. J., *see* GAUNT, R., 621*
——, *see* RENZI, A. A., 853*
CHESKY, V. E.: Recipient of 1955 Award for Meritorious Service, Am. Goiter Assoc., 1457
CHRISTY, N. P.; DONN, A., and WALLACE, E. Z.: Aminopyrine inhibition of the plasma 17-hydroxycorticosteroid increase produced by the pyrogenic reaction, 859†
——, *see* WALLACE, E. Z., 855†, 1073*
CLAYTON, G. W., BONGIOVANNI, A. M., and PAPADATOS, C.: Preliminary investigations into the nature of neutral 17-ketosteroids in human plasma, 693*
COLCOCK, B. P., *see* MEISSNER, W. A., 1432*
COLL, E., *see* ROCHE, M., 838†
CONNOR, T. B., *see* EISENBERG, N., 503*
CONTOPOULOS, A. N.; VAN DYKE, D. C.; SIMPSON, M. E., and EVANS, H. M.: Increase in circulating red cell volume of hypophysectomized rats injected with plasma from pregnant rats, 841†
COOK, J. R.; JONES, R. W., and MCCULLAGH, E. P.: Treatment of toxic adenomatous goiter by large doses of radioactive iodine, 1512*
COOPER, D. Y., *see* TOUCHSTONE, J. C., 382*
COOPER, G. W., *see* LEVY, R. P., 865†
CORNFIELD, J., *see* BATES, R. W., 838†
——, *see* LIDDLE, G. W., 852†
CRAIG, J. W., *see* MILLER, M., 860†
CRAWFORD, J. D., *see* KERRIGAN, G. A., 265*
——, *see* TALBOT, N. B., 276*
CRILE, G., JR.; SUHRER, J. G., JR., and HAZARD, J. B.: Results of conservative operations for malignant tumors of the thyroid, 1422*

DAILEY, M. E., *see* LINDSAY, S., 1332*
DAICHMAN, I., *see* FRIEDMAN, I. S., 1281*
D'ANGELO, S. A.; STEVENS, C. E.; PASCHKIS, K. E., and CANTAROW, A.: The effect of hydrocortisone and ascorbic acid on adrenal function in the cold-exposed guinea pig, 884†
——, *see* DIGEORGE, A. M., 834†
DANOWSKI, T. S., SCHWARTZ, R.; RHODES, G. J.; YODER, R. D.; PUNTERERI, A. J., and MATEER, F. M.: Serum protein-bound iodine levels following administration of thyroxine in various diseases, 1116*
——; WIRTH, P.; BLACK, M. H.; BARTON, E., and BASTIANI, R. M.: Effect of vitamin A supplements on serum PBI level, and disposal of exogenous thyroxine, 1262*
DAUGHADAY, W. H., *see* LEVIN, M. E., 1499*
—— Co-author of 2nd Hon. Mention essay, 1955 Van Meter Prize, Am. Goiter A., 1457
DAVIS, M. E., and WIED, G. L.: 17-Alpha-hydroxyprogesterone-caproate: a new substance with prolonged progestational activity. A comparison with chemically pure progesterone, 923*
DAVIS, N., *see* PETERS, J. H., 182*
DE ALBUQUERQUE, D., *see* NODINE, J. H., 347*
DEBIAS, D. A.; SUNDERMAN, F. W.; CANTAROW, A., and PASCHKIS, K. E.: Effect of continuous infusion of TSH in guinea pigs, 863†
DE BODO, R. C.; ALTSZULER, N., and KIANG, S. P.: Prevention or abolition of growth hormone diabetes in hypophysectomized dogs by adrenocortical hormones, 897†
DE FILIPPIS, V., *see* WOLFSON, W. Q., 156*
DE FLORIDA, *see* ALONSO DE FLORIDA
DEGRAFF, A. C., *see* UNTERMAN, D., 895†
DEGROOT, L. J., *see* GREER, M. A., 864†
—— Co-author of 1st Hon. Mention essay, 1955 Van Meter Prize, Am. Goiter A., 1456
DE LA BALZE, F. A.; VILAR, O.; ARRILLAGA, F.; GURTMAN, A. I., and MANCINI, R. E.: Histologic study of ectopic testes during puberty, 875†
DENT, J. N., *see* FURTH, J., 81*
DESBARATS, M.-L., *see* BIRMINGHAM, M. K., 883†
DE VENANZI, F., *see* ROCHE, M., 838†
DEVREUX, S., *see* TAGNON, R. F., 1475*
DICZFALUSY, E., and LORAINE, J. A.: Sources of error in clinical bioassays of serum chorionic gonadotropin, 424*

DiGeorge, A. M.; D'Angelo, S. A., and Paschkis, K. E.: Thyro-pituitary relations in cretinism and hypothyroidism, 834†

Dingledine, W. S.; Pitt-Rivers, R., and Stanbury, J. B.: Nature and transport of the iodinated substances of the blood of normal subjects and of patients with thyroid disease, 724*

Dingman, J. F., and Thorn, G. W.: Cortisone inhibition of ADH secretion from the neurohypophysis, 871†

Di Raimondo, V., and Island, D.: Studies of the kinetics of the adrenocortical response to corticotropin, 856†

——, *see* Orr, R., 763*, 890†

Dixey, G. M., *see* Lesser, M. A., 285*

Dobyns, B. M., *see* Benua, R. S., 118*, 1367*

Dohan, F. C.; Raventos, A.; Boucot, N., and Rose, E.: Effect of roentgen irradiation of the pituitary region in Cushing's syndrome without adrenocortical tumor, 884†

——, *see* Touchstone, J. C., 760*, 854†

Done, A. K., *see* Ely, R. S., 523*

Donn, A., *see* Christy, N. P., 859†

Dorfman, R. I., *see* Bloch, E., 379*

——, *see* Rubin, B. L., 892†

Dotti, L. B., *see* Van Itallie, T. B., 28*

Dougherty, E., *see* Kochakian, C. D., 849†

Dowling, J. T., *see* Freinkel, N., 863†

Ducci, H., *see* Kalant, H., 481*

Dumm, M. E.: Glucose uptake by white blood cells of patients with diabetes mellitus, 897†

——, *see* Ralli, E. P., 898†

Dury, A.: Effect of cortisone and high cholesterol diet on lipid components and phospholipid turnover of plasma, liver and aorta in rabbits, 885†

——, and Treadwell, C. R.: Effect of epinephrine on plasma lipid components and interrelationships in normal and epileptic humans, 818*

Dyrenfurth, I., *see* Venning, E. H., 853†

Eberlein, W. R., and Bongiovanni, A. M.: Congenital adrenal hyperplasia with hypertension: unusual steroid pattern in blood and urine, 1531*

——, *see* Bongiovanni, A. M., 855†, 1524*

Egdahl, R. H., *see* Nelson, D. H., 889†

Eik-Nes, K.; Sandberg, A. A.; Migeon, C. J.; Tyler, F. H., and Samuels, L. T.: Changes in plasma levels of 17-hydroxycorticosteroids during the intravenous administration of ACTH. II. Response under various clinical conditions, 13*

——, *see* Sandberg, A. A., 893†

Eisenberg, H.; Connor, T. B., and Howard, J. E.: A useful agent for oral alkali therapy (Letter to the Editor), 503*

Eisenberg, J., *see* Wiener, R., 1131*

Elgee, N. J., *see* Welsh, G. W., 861†

Elmadjian, F.; Hoagland, H.; Bloch, E.; Bergen, J. R., and Pincus, G.: Study of adrenal-pituitary and sympathico-adrenal systems in psychomotor stress and after ACTH injection, 885†

Elrick, H., *see* Miles, J., 576*

Ely, R. S.; Ainger, L. E.; Seely, J. R.; Done, A. K., and Kelley, V. C.: Studies of 17-hydroxycorticosteroids. X. Urinary excretion of 17-hydroxycorticosteroids in patients with rheumatic fever, 523*

Engel, F. L.: Addison's disease and peptic ulcer (Teaching Clinic), 1300*

——, and Engel, M. G.: Metabolic actions of pituitary ketogenic factor in the rat, 872†

——, *see* Owens, J. A., Jr., 860†

Engel, L. L.; Carter, P., and Fielding, L. L.: A method for the estimation of urinary formaldehydogenic lipids, which is free from formaldehyde retention (Letter to the Editor), 765*

——, *see* Baker, W. H., 848†

——, *see* Calkins, E., 856†

Engel, M. G., *see* Engel, F. L., 872†

Englert, E., Jr.; Brown, H.; Willardson, D. G., and Simons, E. L.: Evaluation of adrenocortical function by measurement of the 17-hydroxycorticosteroid levels in the blood and urine, 886†

Engstrom, W. W., and Markardt, B.: The effects of serious illness and surgical stress on the circulating thyroid hormone, 953*

Erwin, H., *see* Greer, M. A., 839†

Escamilla, R. F.: Pituitary insufficiency; characteristic clinical and autopsy findings in a patient with pituitary myxedema (Teaching Clinic), 492*

——, *see* Levinger, E. L., 547*

——, *see* Whitelaw, M. J., 487*

Evans, H. M., *see* Contopoulos, A. N., 841†

Evans, J. M., *see* Green, S., 199*

Evans, T. C., *see* Hodges, R. E., 661*

Fand, S. B.: The histochemistry of the human pituitary body. I. Preliminary report, including a differentiation between basophils of the anterior and posterior lobes, 685*

FARRELL, G. L.; RAUSCHKOLB, E. W., and KOLETSKY, S.: Secretion of aldosterone by hypophysectomized dogs, 852†
FENG, Y. S. L., *see* MEITES, J., 858†
FIDELEFF, E., *see* FROMM, G. A., 869†
FIELDING, L. L., *see* ENGEL, L. L., 765*
FINKBEINER, J. A.: The vaginal smear as a method of endocrine evaluation; method and preliminary results, 876†
FISHMAN, W. H.; BENJAMIN, G., and GREEN, S.: Renal β-glucuronidase response to gonadotropins, 876†
FLANAGAN, M. E., *see* ORR, R. H., 763*, 890†
FLEISCHMANN, W., and NURNBERGER, C. E.: Effect of x-irradiation on the response of accessory sex organs to androgens, 877†
FLORES, A., *see* SEGALOFF, A., 847†
FORBES, A. P., *see* MOLDAWER, M. P., 846†
FORD, D. H., *see* GROSS, J., 836†
FOREMAN, N., *see* TSUMORI, H., 1141*
FORSHAM, P. H., *see* ORR, R. H., 763*, 890†
FORTUNATO, J., *see* KLEIN, R., 215*, 943*
FOX, H. M., *see* HILL, S. R., JR., 887†
FOX, R., *see* MIGEON, C. J., 775*
FRANKSSON, C., and GEMZELL, C. A.: Adrenocortical activity in the preoperative period, 1069*
FRAPPIER, A., *see* STERNBERG, J., 868†
FREEDBERG, A. S., *see* KURLAND, G. S., 1354*
FREIDEN, E. H.; NOALL, M. W., and ALONSO DE FLORIDA, F.: Fractionation of relaxin by chromatography and counter-current distribution, 848†
FREINKEL, N.; DOWLING, J. T., and INGBAR, S. H.: Method for identifying thyroxine-binding globulin in protein mixtures: localization of TBG in Cohn fractions, 863†
——, and INGBAR, S. H.: Effect of metabolic inhibitors upon iodide transport in sheep thyroid slices, 598*
——, and INGBAR, S. H.: The relationship between metabolic activity and iodide-concentrating capacity of surviving thyroid slices, 442*
——, *see* INGBAR, S. H., 837†
FRIEDMAN, I. S.; MACKLES, A., and DAICHMAN, I.: Development of virilization during pregnancy, 1281*
FROMM, G. A.; ROCA, J., and FIDELEFF, E.: Hypophosphatemic rickets associated with slight acidosis, 869†
FRUHMAN, G. J., *see* GORDON, A. S., 841†
FURTH, J.; DENT, J. N.; BURNETT, W. T., JR., and GADSDEN, E. L.: The mechanism of induction and the characteristics of pituitary tumors induced by thyroidectomy, 81*
GABRILOVE, J. L., and SOFFER, L. J.: Effect of thyrotropin on adrenocortical function, 585*
GADSDEN, E. L., *see* FURTH, J., 81*
GAGLIANI, J., *see* KUPPERMAN, H. S., 911*
GALIONI, E., *see* STRISOWER, B., 73*
GANONG, W. F., and HUME, D. M.: Effect of partial hypophysectomy on adrenocortical, thyroidal and gonadal function in the dog, 843†
——, *see* GOLDFEIN, A., 850†
GARRETT, N. H., *see* BISHOPRIC, G. A., 592*
GASH, J., *see* GERSHBERG, H., 843†
GAUNT, R.; RENZI, A. A., and CHART, J. J.: Aldosterone—A review, 621*
——, *see* RENZI, A. A., 853†
GEMZELL, C. A.; HEIJKENSKJÖLD, F., and STRÖM, L.: A method for demonstrating growth hormone activity in human plasma, 537*
——, *see* FRANKSSON, C., 1069*
GENEST, J., *see* NOWACZYNSKI, W., 1310*
GEOGHAN, B., *see* HETZEL, B. S., 1057*
GERSHBERG, H., and GASH, J.: Effect of growth hormone on plasma urea, urea excretion, renal function and fasting blood glucose, 843†
——; HEINEMANN, H. O., and STUMPF, H. H.: Renal and metabolic studies, with autopsy findings in a patient with gigantism and acromegaly, 872†
GIROUD, C. J. P., *see* VENNING, E. H., 853†
GLASER, G. H., *see* KNIGHT, R. P., 176*
GLAZER, L., *see* TOUCHSTONE, J. C., 382*
GOETSCH, E., and KAMNER, M.: Chronic thyroiditis and Riedel's struma; etiology and pathogenesis. The role of the hyperfunctioning parenchyma of primary hyperplastic goiter, 1010*
GOETZ, F. C., *see* HILL, S. R., JR., 887†
GOFMAN, J. W., *see* STRISOWER, B., 73*
GOLDENBERG, I. S.: LUTWAK, L.; ROSENBAUM, P. J., and HAYES, M. A.: Thyroid-adrenocortical metabolic interrelations, 227*
GOLDFIEN, A.; SAINT-MARC, J.; BEIGELMAN, P. M., and GANONG, W. F.: The suppression of endogenous adrenocortical secretion with 9-alpha-fluorohydrocortisone, 850†
GOLDNER, M. G., *see* VOLK, B. W., 898†
GOLDSMITH, R., and STANBURY, J. B.: The tolerance of patients with myxedema for thyroid, 568*
GORDAN, G. S.; OVERSTREET, E. W.; TRAUT, H. F., and WINCH, G. A.: A syndrome of gonadal dysgenesis: a variety of ovarian

agenesis with androgenic manifestations, 1*
——, *see* BIBEN, R. L., 931*
——, *see* CHAMBERS, E. L., JR., 869†
GORDON, A. S., and FRUHMAN, G. J.: Influence of growth hormone and cortisol upon blood formation in the hypophysectomized rat, 841†
——, *see* PADAWER, J., 873†
GORDON, D., *see* SEGALOFF, A., 142*
GORNALL, A. G.; GWILLIAM, C., and HALL, A. E.: Microchemical estimation of aldosterone in urine, 886†
GRACE, W. J., *see* HETZEL, B. S., 1057*
GRAY, S. J., *see* HILL, S. R., JR., 887†
GREEN, S.; EVANS, J. M., and HERTZ, R.: Acyclic menstrual bleeding associated with erythrocytosis, 199*
——, *see* FISHMAN, W. H., 876†
GREENBLATT, R. B., and CARMONA, N.: The eunuchoid female: a case study, 877†
GREENWALD, I.: Goiter in Peru, Chile and the Argentine Republic, 863†
GREEP, R. O., *see* KLIMAN, B., 847†
——, *see* KNOBIL, E., 844*
GREER, M. A., and DEGROOT, L. J.: A study of the effect of stable iodide and thyrotropin on thyroid secretion in hyperthyroidism, 864†
—— First Honorable Mention, 1955 Van Meter Prize Award, Am. Goiter A., 1456
——, and ERWIN, H.: Evidence of separate hypothalamic centers controlling corticotropin and thyrotropin secretion by the pituitary, 839†
GRIBOFF, S. I., *see* WIENER, R., 1131*
GROSS, J.; FORD, D. H., and POSNER, M.: Metabolism of triiodothyronine and thyroxine in plasma, pituitary and CNS of the rabbit, 836†
GROSS, JACK, Recipient of the 1955 Ciba Award of the Endocrine Society, 908
GROSSMANN, A., and GROSSMANN, G. F.: Protein-bound iodine by alkaline incineration and a method for producing a stable cerate color, 354*
GROSSMANN, G. F., *see* GROSSMANN, A., 354*
GROSSMAN, M. S., *see* HOMBURGER, F., 878†
GRUBIN, H., *see* ROBINSON, H. J., 317*
GRUMBACH, M. M.; VAN WYK, J. J., and WILKINS, L.: Chromosomal sex in gonadal dysgenesis (ovarian agenesis): relationship to male pseudohermaphrodism and theories of human sex differentiation, 1161*
——; VAN WYK, J. J., and WILKINS, L.: Congenital gonadal dysgenesis, ovarian agenesis, and male pseudohermaphroditism: the relationship to theories of human sex differentiation, 845†
GUIOT, J., *see* ALBEAUX-FERNET, M., 1239*
GULLY, R. J., *see* HALBERG, F., 887†
GURTMAN, A. I., *see* DE LA BALZE, F. A., 875†
GWILLIAM, C., *see* GORNALL, A. G., 886†

HALBERG, F.; SPINK, W. W.; ALBRECHT, P., and GULLY, R. J.: Resistance of mice to brucella somatic antigen; 24-hour periodicity and the adrenals, 887†
HALL, A. E., *see* GORNALL, A. G., 886†
HAMILTON, H., *see* WERNER, S. C., 715*
HAMILTON, J. B.: Method for measurement of growth and replacement of cells in man, 844†
HAMOLSKY, M. W., *see* KURLAND, G. S., 1354*
HAMWI, G. J., *see* BLOODWORTH, J. M. B., JR., 883†
HANNYE, J. B., *see* LOBOTSKY, J., 888†
HANSON, R. O., *see* BLIVAISS, B. B., 875†
HARDY, R., *see* MIGEON, C. J., 775*
HARRIS-JONES, J. N., and NIXON, P. G. F.: Familial Addison's disease with spastic paraplegia, 739*
HASTINGS, A. B., *see* ASHMORE, J., 897†
HAYES, M. A., *see* GOLDENBERG, I. S., 227*
HAUSBERGER, F. X., *see* MILSTEIN, S. W., 861†
HAYDAR, N. A., *see* ABU HAYDAR, N.
HAYNES, R. C., JR., and SHEID, H. L.: Lack of effect of ascorbic acid on hydrocortisone metabolism in man, 1257*
HAZARD, J. B., *see* CRILE, G., JR., 1422*
HECHTER, O., *see* CASPI, E., 883†
——, *see* KASS, E. H., 167*
HECKEL, G. P., and SCHERP, H. W.: Allergenic properties of pregnanediol, 877†
HEIJKENSKJÖLD, F., *see* GEMZELL, C. A., 537*
HEINEMANN, H. O., *see* GERSHBERG, H., 872†
HEMING, A. E., *see* HOLTKAMP, D. E., 848†
HENDRICKS, C. H., *see* ROTHCHILD, I., 151*
HENLEY, E. D., *see* WELSH, G. W., 861†
HENNEMAN, P. H.; IRWIN, J. W.; WANG, D. M. K., and BURRAGE, W. S.: The effect of estrogen and androgen on calcium metabolism during cortisone administration, 858†
——, *see* BAKER, W. H., 848†
——, *see* MOLDAWER, M. P., 846†
HERTZ, R., *see* GREEN, S., 199*
HESS, W. C., *see* KYLE, L. H., 879†
HETZEL, B. S.; SCHOTTSTAEDT, W. W.; GRACE, W. J., and WOLFF, H. G., with the technical assistance of PLESCIA, A.; WHITTINGTON, J. M., and GEOGHAN, B.:

Changes in urinary 17-hydroxycorticosteroid excretion during stressful life experiences in man, 1057*

HILL, S. R., JR.; GOETZ, F. C.; FOX, H. M.; MURAWSKI, B.; GRAY, S. J.; KRAKAUER, L., and THORN, G. W.: Adrenocortical psychologic response to stress in man, 887†

HIMES, H., *see* ADLERSBERG, D., 882†

HOAGLAND, H., *see* ELMADJIAN, F., 885†

HODGES, R. E.; EVANS, T. C.; BRADBURY, J. T., and KEETTEL, W. C.: The accumulation of radioactive iodine by human fetal thyroids, 661*

HOFFMAN, M. M., *see* BIRMINGHAM, M. K., 883†

HOLSTROM, E. G., *see* ZARROW, M. X., 22*

HOLTKAMP, D. E.; HEMING, A. E., and MANSOR, L. F.: Comparison of oral and subcutaneous administration in the anabolic and androgenic effectiveness of 19-nortestosterone and testosterone, 848†

HOMBURGER, F.; GROSSMAN, M. S., and TREGIER, A.: The behavior of experimental hydro-uteri in rodents, 878†

HON, E. H., and MORRIS, J. M.: Chorionic gonadotropic titers, using *Bufo americanus* and *Bufo marinus*, 845†

HORWITT, B. N., *see* SEGALOFF, A., 142*

HOWARD, E.: Adrenal facilitation of the early growth of the genital tract, 878†

HOWARD, J. E., *see* EISENBERG, H., 503*

HUDSON, P. B., and LOMBARDO, M. E.: Analysis of human adrenal vein blood and adrenal glands for steroidal substances, 324*

HUIS IN'T VELD, L. G., *see* LAMPE-HINTZEN, D. A. V. M., 1152*

HUME, D. M., and NELSON, D. H.: Effect of hypothalamic lesions on blood ACTH levels and 17-hydroxycorticosteroid secretion following trauma in the dog, 839†

——, *see* GANONG, W. F., 843†

——, *see* NELSON, D. H., 889†

HUNNICUTT, A. J., *see* TSUMORI, H., 1141*

HUTCHISON, H. J., *see* MCGIRR, E. M., 668*

HYDE, P. M., and WILLIAMS, R. H.: Biliary excretion of radioactivity after hydrocortisone-4-C^{14} administration to rats, 888†

IANNACCONE, A., *see* WIENER, R., 1131*

IKKOS, D.; LUFT, R., and OLIVECRONA, H.: Hypophysectomy in man: effect on water excretion during the first two postoperative months, 553*

INGBAR, S. H.: Simultaneous measurement of the iodide-concentrating and protein-binding capacities of the normal and hyperfunctioning human thyroid gland, 238*

——: The influence of single doses of propylthiouracil on the kinetics of iodine accumulation by the thyroid glands of normal and hyperthyroid subjects, 331*

——, and FREINKEL, N.: A defect of thyroidal storage in subacute (giant-cell) thyroiditis, 837†

——, *see* FREINKEL, N., 442*, 598*, 863†

INGERSOLL, F. M., *see* MCARTHUR, J. W., 845†

IRWIN, J. W., *see* HENNEMAN, P. H., 858†

ISAACS, M., *see* PERSKY, M., 891†, 1247*

ISLAND, D., *see* DI RAIMONDO, V., 856†

——, *see* WHITELAW, M. J., 896†

JACOBSON, W. E.; SCHULTZ, A. L., and ANDERSON, J.: Endocrine studies in 8 patients with dystrophic myotonica, 801*

JAGER, B. V., *see* PERKOFF, G. T., 362*

JAILER, J. W., *see* WALLACE, E. Z., 855†, 1073*

JEFFERIES, M., *see* LEVY, R. P., 865†

JENKINS, J. P., *see* PERSKY, M., 891†, 1247*

JENSEN, C. C.: Effect of temperature on hydrolysis of 17-ketosteroid conjugates in urine (Letter to the Editor), 653*

JENSEN, E., *see* TSUMORI, H., 1141*

JOHNSON, D., *see* MIGEON, C. J., 775*

JOHNSON, P. C., and BEIERWALTES, W. H.: Reliability of scintiscanning nodular goiters in judging the presence or absence of carcinoma, 865†

JOHNSTON, M. W., *see* VALE, J. M., 868†

JONES, R. W., *see* COOK, J. R., 1512*

KALANT, H., and DUCCI, H.: The influence of diet on urinary amino nitrogen levels, 481*

KALLMAN, B., *see* STARR, P., 867†

KAMNER, M., *see* GOETSCH, E., 1010*

KASCHT, M. E., *see* LANDAU, R. L., 1194*

KASS, E. H.; HECHTER, O.; CASPI, E. Y., and AYCOCK, R. R.: The route of absorption of orally administered cortisone in a patient with chylothorax, 167*

KASSENAAR, A. A. H., *see* STANBURY, J. B., 1216*

KATSH, S.: Creatine-creatinine excretion in cold-exposed rats, 864†

KEATING, F. R., JR., *see* BRAASCH, J. W., 732*

——, *see* MCCONAHEY, W. M., 838†

KEETTEL, W. C., *see* HODGES, R. E., 661*

KELLEY, V. C., *see* AINGER, L. E., 469*

——, *see* ELY, R. S., 523*

KELLY, L. W., JR., *see* LEVY, R. P., 865†
KENNEDY, B. J., and NATHANSON, I. T.: Surgery as an adjunct to hormone therapy of inoperable breast cancer, 878†
KENNY, A. J.: Extractable glucagon of the human pancreas, 1089*
KERRIGAN, G. A.; TALBOT, N. B., and CRAWFORD, J. D.: Role of the neurohypophyseal-antidiuretic hormone-renal system in everyday clinical medicine (Teaching Clinic), 265*
——, *see* TALBOT, N. B., 276*
KESSLER, W. B.; VARNEY, R. F., and BORMAN, A.: Inhibition of ACTH activity in the rat after administration of 9-α-halogenated steroids, 849†
KIANG, S. P., *see* DE BODO, R. C., 897†
KIEFER, J. H.; ROSENTHAL, I. M., and BRONSTEIN, I. P.: Pregnancy following surgical removal of a masculinizing adrenocortical tumor (Letter to the Editor), 154*
KINSELL, L. W.; LAWRENCE, L., and WEYLAND, R. D.: Hypophysectomy in severe juvenile diabetes, 859†
——, *see* TSUMORI, H., 1141*
KLEIN, R.; PAPADATOS, C.; FORTUNATO, J., and BYERS, C.: Acid-hydrolyzable corticoids of serum, 215*
——; PAPADATOS, C.; FORTUNATO, J.; BYERS, C., and PUNTERERI, A.: Serum corticoids in liver disease, 943*
——, *see* SIKER, E. S., 894†
KLIMAN, B., and GREEP, R. O.: Effect of depot relaxin on pubic ligament growth in mice, 847†
KNIGHT, R. P.; KORNFELD, D. S.; GLASER, G. H., and BONDY, P. K.; Effects of intravenous hydrocortisone on electrolytes of serum and urine in man, 176*
KNOBIL, E., and GREEP, R. O.: Carbohydrate metabolism in intact, hypophysectomized and partially pancreatectomized Rhesus monkeys: influence of growth hormone and cortisone, 844†
——, *see* NIKITOVITCH, M., 837†
KOCHAKIAN, C. D.; TILLOTSON, C., and DOUGHERTY, E.: Effect of castration and various steroids on individual muscles of the guinea pig, 849†
KOLETSKY, S., *see* FARRELL, G. L., 852†
KORNFELD, D. S., *see* KNIGHT, R. P., 176*
KOUPREIANOW, A., *see* TALBOT, N. B., 301*
KRAKAUER, L., *see* HILL, S. R., JR., 887†
KUPPERMAN, H. S.; BLATT, M. H. G.; VESSELL, M.; GAGLIANI, J.; WEISBADER, H., and VOSBURGH, L.: The comparative effects of metacortandracin, 9-α-fluorohydrocortisone and hydrocortisone upon ACTH secretion in man, 911*
——; BLATT, M. H. G., and WEISBADER, H.: Comparative effect of metacortandracin, 9-α-fluorohydrocortisone, and hydrocortisone upon ACTH secretion in man, 850†
——, *see* BLATT, M. H. G., 874†
——, *see* PERSKY, M., 891†, 1247*
——, *see* UNTERMAN, D., 895†
KURLAND, G. S.; HAMOLSKY, M. W., and FREEDBERG, A. S.: Studies in non-myxedematous hypometabolism. I. The clinical syndrome and the effects of triiodothyronine, alone, or combined with thyroxine, 1354*
KUTUZOV, H., *see* BLIVAISS, B. B., 875†
KYLE, L. H., and HESS, W. C.: The protein catabolic effect of progesterone, 879†
——, *see* PLOUGH, I. C., 870†

LADMAN, A. J., and BARRNETT, R. J.: Localization of glycoprotein hormones of the adenohypophysis by combined histochemical, physiochemical and bioassay procedures, 871†
LAIDLAW, J. C., *see* ABU HAYDAR, N., 858†
——, *see* REDDY, W. J., 891†
LAKEN, B., *see* RALLI, E. P., 873†, 898†
LAMPE-HINTZEN, D. A. V. M., and HUIS IN'T VELD, L. G.: Atypical Porter-Silber reaction after administration of sulfamerazine (Letter to the Editor), 1152*
LANDAU, R. L.; BERGENSTAL, D. M.; LUGUBIHL, K., and KASCHT, M. E.: The metabolic effects of progesterone in man, 1194*
LARSON, F. C.; TOMITA, K., and ALBRIGHT, E. C.: Deiodination of thyroxine to triiodothyronine by kidney slices of rats with varying thyroid function, 836†
LATOUR, J. P. A., *see* PAYNE, H. W., 1106*
LAWRENCE, L., *see* KINSELL, L. W., 859†
LEACH, R. B., *see* PAULSEN, C. A., 846†
LEFTIN, J. H.; MARKS, L. J., and LEONARD, M. P.: The question of the destruction of 17,21-hydroxycorticosteroids by phosgene (Letter to the Editor), 377*
LEIBHOLD-SCHUECK, R., *see* STARR, P., 868†
LEONARD, M. P., *see* LEFTIN, J. H., 377*
LERMAN, J., and PITT-RIVERS, R.: Physiologic activity of triiodothyroacetic acid (Letter to the Editor), 653*
LESSER, M. A.; VOSE, S. N., and DIXEY, G. M.: Effect of testosterone propionate on the prostate gland of patients over 45, 297*
LEVI, J. E., *see* PRASAD, R., 476*
LEVIN, M. E., and DAUGHADAY, W. H.: The influence of the thyroid on adrenocortical function, 1499*

—— Second Honorable Mention, 1955 Van Meter Prize Award, Am. Goiter A., 1457
LEVINGER, E. L., and ESCAMILLA, R. F.: Hereditary diabetes insipidus: report of 20 cases in seven generations, 547*
LEVY, R. P.; KELLY, L. W., JR.; COOPER, G. W., and JEFFERIES, M.: Relationship between thyrotropin effects upon human thyroid hormone release and iodide uptake, 865†
LEWIS, J. L., JR., and THORN, G. W.: 17-Hydroxycorticoid determinations in sweat (Letter to the Editor), 829*
LI, M. C.; RALL, J. E.; MACLEAN, J. P.; LIPSETT, M. B.; RAY, B. S., and PEARSON, O. H.: Thyroid function following hypophysectomy in man, 1228*
——, *see* LIPSETT, M. B., 842†
LIDDLE, G. W.; CORNFIELD, J.; CASPER, A. G. T., and BARTTER, F. C.: Acute renal response to aldosterone: physiologic basis for a new assay method, 852†
LIEBHOLD-SCHUECK, R., *see* STARR, P., 98*
LIN, H. J., *see* VAN ITALLIE, T. B., 28*
LINDSAY, S., and DAILEY, M. E.: Malignant lymphoma of the thyroid gland and its relation to Hashimoto disease: a clinical and pathologic study of 8 patients, 1332*
LINSK, J., *see* PERSKY, M., 891†, 1247*
LIPSCHITZ, E., *see* SIKER, E. S., 894†
LIPSCOMB, M. D., *see* SWEAT, M. L., 1043*
LIPSETT, M. B.; MACLEAN, J. P.; LI, M. C.; WEST, C. D.; RAY, B., and PEARSON, O. H.: Analysis of the polyuria produced by hypophysectomy in man, 842†
——, *see* LI, M. C., 1228*
LISSER, H.: An adrenal tumor, clinically doubtful; diagnosis established by extraperitoneal pneumography (Teaching Clinic), 1144*
LITTLE, J. M., *see* YOUNT, E., 343*
LLOYD, C. W.: Precocious puberty of the female type (Teaching Clinic), 1518*
——, and OLDFORD, P.: Studies of the antidiuretic content of the hypothalamus of intact and hypophysectomized rats, 873†
——, *see* LOBOTSKY, J., 888†
LOBOTSKY, J.; HANNYE, J. B., and LLOYD, C. W.: Intravenous administration of aldosterone to the adrenalectomized rat as a method of assay, 888†
LOMBARDO, M. E., *see* HUDSON, P. B., 324*
LONG, C. N. H., *see* BRODISH, A., 841†
LORAINE, J. A., *see* DICZFALUSY, E., 424*
LUDWIG, A. W., *see* WIENER, R., 1131*
LUFT, R.; OLIVECRONA, H., and SJÖGREN, B.: Hypophysectomy in man; experiences in severe diabetes mellitus, 391*
——, *see* IKKOS, D., 553*
LUGIBIHL, K., *see* LANDAU, R. L., 1194*
LUTWAK, L., *see* GOLDENBERG, I. S., 227*

MACK, R., *see* WEICHSELBAUM, T. E., 970*
MACKLES, A., *see* FRIEDMAN, I. S., 1281*
MACLEAN, J. P., *see* LI, M. C., 1228*
——, *see* LIPSETT, M. B., 842†
MADDOCK, W. O., *see* PAULSEN, C. A., 846†
MAENGWYN-DAVIES, G. D., and WEINER, R.: Excretion of 17-hydroxycorticosteroids during the menstrual cycle (Letter to the Editor), 1150*
MALOOF, F., and RAPP, B.: A defect in the function of the rat thyroid induced by I^{131} irradiation, 866†
MANCINI, R. E., and STRINGA, S.: Effects of hydrocortisone topically applied on keloids and hypertrophic scars, 888†
——, *see* DE LA BALZE, F. A., 875†
MANKOWSKI, Z. T.: Influence of ovariectomy and castration on development of experimental fungus infections in mice, 879†
MANSOR, L. F., *see* HOLTKAMP, D. E., 848†
MARBLE, A.: Diabetic nephropathy (Editorial), 499*
MARGRAF, H. W., *see* WEICHSELBAUM, T. E., 970*
MARKARDT, B., *see* ENGSTROM, W. W., 953*
MARTIN, J. M., and STANBURY, J. B.: The response of the I^{131}-treated thyroid gland to thyrotropic hormone, 811*
MARKS, L. J., *see* LEFTIN, J. H., 377*
MASON, H. L.: Methods for assessment of adrenocortical function (Editorial), 1035*
MATEER, F. M., *see* DANOWSKI, T. S., 1116*
MAY, J. A., *see* STIMMEL, B. F., 880†
MCARTHUR, J. W.; INGERSOLL, F. M., and WORCESTER, J.: Urinary excretion of interstitial-cell stimulating hormone (ICSH) by women with normal and abnormal menstrual function, 845†
MCCONAHEY, W. M.; OWEN, C. A., JR., and KEATING, F. R., JR.: A clinical appraisal of radioiodine tests of thyroid function, 838†
MCCULLAGH, E. P., *see* COOK, J. R., 1512*
MCGAVACK, T. H., *see* PEARSON, S., 891†
MCGIRR, E. M., and HUTCHISON, J. H.: Dysgenesis of the thyroid gland as a cause of cretinism and juvenile myxedema, 668*
MEANS, J. H., Recipient of 1955 Award for Meritorious Service, Am. Goiter Assoc., 1457
MEIJER, J. W. A., *see* STANBURY, J. B., 1216*
MEISSNER, W. A.; COLCOCK, B. P., and ACHENBACH, H.: The pathologic evaluation of radical neck dissection for carcinoma of the thyroid gland, 1432*

MEITES, J., and FENG, Y. S. L.: Effects of cortisone and insulin on urinary excretion of radioactive vitamin B_{12} in rats, 858†
MENDELSOHN, M. L., and PEARSON, O. H.: Alterations in water and salt metabolism after bilateral adrenalectomy in man, 409*
MIGEON, C. J.; SLAUNWHITE, W. R., JR.; ALDOUS, R.; FOX, R.; HARDY, R.; JOHNSON, D., and PERKINS, W.: The nonspecific fluorescent material in estrogen extracts from the urine of pregnant women, 775*
——, and PLAGER, J. E.: A method for the fractionation and measurement of 17-ketosteroids in human plasma, 702*
——, *see* EIK-NES, K., 13*
——, *see* SANDBERG, A. A., 851†, 893†
MILES, J., and ELRICK, H.: Pseudo-pseudohypoparathyroidism: report of a new case, 576*
MILLER, M.; SHIPLEY, R. A.; BAKER, N.; SHREEVE, W. W., and CRAIG, J. W.: The metabolism of C^{14}-labeled glucose in normal and diabetic subjects, 860†
MILSTEIN, S. W., and HAUSBERGER, F. X.: Effects of glucose levels on lipogenesis and oxidation in rat liver and adipose tissue, 861†
MOLDAWER, M. P.; ALBRIGHT, F.; BENEDICT, P. H.; FORBES, A. P., and HENNEMAN, P. H.: Eunuchoidism with negative follicle-stimulating hormone in the female, 846†
MOORE, CARL R., Recipient of the 1955 Medal of the Endocrine Society, 906
MORGAN, M. C., *see* VAN ITALLIE, T. B., 28*
MORRIS, J., *see* HON, E. H., 845†
MORSE, W. I., *see* SHEPPARD, R. H., 853†
MORTENSEN, JD; WOOLNER, L. B., and BENNETT, W. A.: Gross and microscopic findings in clinically normal thyroid glands, 1270*
MURAWSKI, B., *see* HILL, S. R., JR., 887†

NATHANSON, I. T., *see* KENNEDY, B. J., 878†
NELSON, D. H.; EGDAHL, R. H., and HUME, D. M.: Corticosteroid secretion in the adrenal vein of dogs exposed to cold, 889†
——, *see* HUME, D. M., 839†
NESBETT, F. B., *see* ASHMORE, J., 897†
NEWBURGER, R. A., *see* SILVER, S., 866†
NICHOLSON, W. M., *see* BISHOPRIC, G. A., 592*
NIKITOVITCH, M., and KNOBIL, E.: Placental transfer of thyrotropic hormone in the rat, 837†
NINMER, A., *see* BENUA, R. S., 1367*
NIXON, P. G. F., *see* HARRIS-JONES, J. N., 739*
NOALL, M. W., *see* FRIEDEN, E. H., 848†
NODINE, J. H.; PERLOFF, W. H.; DE ALBUQUERQUE, D.; PERCZEK, L., and CHANNICK, B.: The diphasic character of thyroidal I^{131} clearance, 347*
NOWACZYNSKI, W., and GENEST, J.: Recovery of aldosterone, hydrocortisone and cortisone following dialysis (Letter to the Editor), 1310*
——, and STEYERMARK, P.: The chromogenic spectra of steroids in 100 per cent phosphoric acid, 889†
NURNBERGER, C. E., *see* FLEISCHMANN, W., 877†
NUSIMOVICH, B., *see* ARONS, W. L., 854†

O'BRIEN, G. W., *see* STRISOWER, B., 73*
OGRYZLO, M. A., *see* VALE, J. M., 868†
OHELA, K., *see* STANBURY, J. B., 54*
OHLER, E. A., and SEVY, R. W.: Blockade of stress-induced adrenal ascorbic-acid depletion, 890†
OLDFORD, P., *see* LLOYD, C. W., 873†
OLIVECRONA, H., *see* IKKOS, D., 553*
——, *see* LUFT, R., 391*
ORR, R. H.; DI RAIMONDO, V.; FLANAGAN, M. E., and FORSHAM, P. H.: A water-soluble preparation of hydrocortisone for clinical use (Letter to the Editor), 763*
——; DI RAIMONDO, V.; FLANAGAN, M., and FORSHAM, P. H.: The effect of administered corticosteroids on adrenocortical steroidogenesis, 890†
OVERSTREET, E. W., *see* GORDAN, G. S., 1*
OWEN, C. A., JR., *see* MCCONAHEY, W. M., 838†
OWENS, J. A., JR.; BOGDONOFF, M. D., and ENGEL, F. L.: Interactions of growth hormone, cortisone, and triiodothyronine in experimental diabetes in the rat, 860†

PADAWER, J., and GORDON, A. S.: Hormonal influences upon mast cells, 873†
PALEY, K. R.; SOBEL, E. S., and YALOW, R. S.: A comparison of the thyroidal plasma I^{131} clearance and the plasma protein-bound I^{131} tests for the diagnosis of hyperthyroidism, 995*
PAPADATOS, C., *see* CLAYTON, G. W., 693*
——, *see* KLEIN, R., 215*, 943*
PAPPER, S., *see* ROSENBAUM, J. D., 1459*
PASCHKIS, K. E., *see* D'ANGELO, S. A., 884†
——, *see* DEBIAS, D. A., 863†
——, *see* DIGEORGE, D. A., 834†
——, *see* WOLFE, S. M., 745*

PAULSEN, C. A.; LEACH, R. B.; SANDBERG, H., and MADDOCK, W. O.: Function of the postmenopausal ovary: urinary estrogen excretion and the response to administered FSH, 846†
PAYNE, H. W., and LATOUR, J. P. A.: Quantitative estimations of endometrial glycogen, using the anthrone method, 1106*
PAYNE, S.: E. Kost Shelton—Obituary, 832
PEARSON, O. H., *see* LI, M. C., 1228*
——, *see* LIPSETT, M. B., 842†
——, *see* MENDELSOHN, M. L., 409*
PEARSON, S.; RECKENDORF, H., and MCGAVACK, T. H.: Sequence of effects of cortisone, hydrocortisone and desoxycorticosterone acetate upon urinary sodium, potassium, chloride and volume, 891†
PECHET, M. M., and BARTTER, F. C.: Studies with a new series of steroids: metacortandracin and metacortandralone, 851†
PERCZEK, L., *see* NODINE, J. H., 347*
PERKINS, W., *see* MIGEON, C. J., 775*
PERKOFF, G. T.; JAGER, B. V., and TYLER, F. H.: Complications in the management of Cushing's syndrome, including anaphylactic reaction to intravenous adrenocorticotropin after subtotal adrenalectomy (Teaching Clinic), 362*
PERLMAN, P. L., *see* TOLKSDORF, S., 894†
PERLMUTTER, M., and SLATER, S. L.: Therapeutic implications of the avidity of solitary thyroid nodules for I^{131}, 835†
PERLOFF, W. H., *see* NODINE, J. H., 347*
PERSKY, H., *see* SABSHIN, M., 892†
PERSKY, M.; LINSK, J.; ISAACS, M.; JENKINS, J. P.; ROSENBLUTH, M., and KUPPERMAN, H. S.: Acute effects of intravenous hydrocortisone on glucose and insulin tolerances, and levels of serum and urinary inorganic phosphorus, 1247*
——; LINSK, J.; ISAACS, M.; JENKINS, J. P.; ROSENBLUTH, M., and KUPPERMAN, H. S.: Effect of intravenous infusion of hydrocortisone and derivatives upon carbohydrate metabolism in man, 891†
PETERS, H. J.; SIEBER, W. K., and DAVIS, N.: Familial gynecomastia associated with genital abnormalities: report of a family, 182*
PINCUS, G., *see* ELMADJIAN, F., 885†
PITT-RIVERS, R.; STANBURY, J. B., and RAPP, B: Conversion of thyroxine to 3-5-3′-triiodothyronine *in vivo*, 616*
——, *see* DINGLEDINE, W. S., 724*
——, *see* LERMAN, J., 653*
——, *see* STANBURY, J. B., 54*
PLAGER, J. E., *see* MIGEON, C. J., 702*
PLESCIA, A., *see* HETZEL, B. S., 1057*
PLOUGH, I. C., and KYLE, L. H.: Pseudofractures with hypercalcemia: osteomalacia *vs.* hyperparathyroidism, 870†
POSNER, M., *see* GROSS, J., 836†
POWELL, M., *see* RASMUSSEN, H., 866†
POWER, M. H., *see* BLACKBURN, C. M., 1379*
PRASAD, R., and LEVI, J. E.: Thyrotoxic myopathy and myasthenia gravis: a case report, 476*
PREUSS, L. E., *see* SZILAGYI, D. E., 1409*
PUNTERERI, A. J., *see* DANOWSKI, T. S., 1116*
——, *see* KLEIN, R., 943*

QUAADE, F., *see* ANDERSEN, H., 459*

RABEN, M. S.: The nature of the effect of alkali on intermedin, 842†
RALL, J. E., *see* ALPERS, J. B., 1482*
——, *see* LI, M. C., 1228*
——, *see* ROBBINS, J., 1315*
—— Co-author of 1955 Van Meter Prize essay, Am. Goiter A., 1456
RALLI, E. P.; BARBOSA, F. X.; DUMM, M. E., BECK, E. M., and LAKEN, B.: Prolonged administration of vitamin B_{12}, folic acid and calcium pantothenate in patients with diabetes mellitus, 898†
——, and LAKEN, B.: The effect of sodium chloride intake on fluid retention in rats on low-sodium diets, 873†
RAPP, B., *see* MALOOF, F., 866†
——, *see* PITT-RIVERS, R., 616*
——, *see* RASMUSSEN, H., 866†
RASMUSSEN, H.; POWELL, M., and RAPP, B.: The influence of renal factors on iodide kinetics, 866†
RAUSCHKOLB, E. W., *see* FARRELL, G. L., 852†
RAVENTOS, A., *see* DOHAN, F. C., 884†
RAWSON, R. W., *see* ROBBINS, J., 1315*
—— Co-author of 1955 Van Meter Prize essay, Am. Goiter A., 1456
RAY, B. S., *see* LI, M. C., 1228*
——, *see* LIPSETT, M. B., 842†
RECKENDORF, H., *see* PEARSON, S., 891†
REDDY, W. J.; ABU HAYDAR, N., and LAIDLAW, J. C.: The determination of total 17-hydroxycorticosteroids in plasma, 891†
——, *see* ABU HAYDAR, N., 858†
REID, D. E., *see* ABRAMSON, D., 206*
RENOLD, A. E., *see* SHEPPARD, R. H., 853†
RENZI, A. A.; RENZI, M.; CHART, J. J., and GAUNT, R.: Effect of aldosterone and other steroids on renal functions and water intoxication, 853†
——, *see* GAUNT, R., 621*
RENZI, M., *see* RENZI, A. A., 853†

RHODES, G. J., *see* DANOWSKI, T. S., 1116*
RICHARDSON, E. M., *see* TOUCHSTONE, J. C., 854†
RICHTERICH, B., *see* SMITH, T. C., 880†
ROBBINS, J.; RALL, J. E., and RAWSON, R. W.: A new serum iodine component in patients with functional carcinoma of the thyroid, 1315*
—— Recipient of 1955 Van Meter Prize, Am. Goiter Assoc., 1456
ROBERTS, J. M., *see* TOUCHSTONE, J. C., 382*
ROBERTSON, W. G., Recipient of the 1955 Ayerst, McKenna & Harrison Fellowship of the Endocrine Society, 908
ROBINSON, H. J.; BERNHARD, W. G.; GRUBIN, H.; WANNER, H.; SEWEKOW, G. W., and SILBER, R. H.: 17,21-Dihydroxy-20-ketosteroids in plasma during and after pregnancy, 317*
ROCA, J., *see* FROMM, G. A., 869†
ROCHE, M.: A case of pseudo-pseudohypoparathyroidism, 964*
——, DE VENANZI, F.; VERA, J.; COLL, E., and SPINETTI BERTI, M.: A study of endemic goiter, 838†
ROMANI, J. D., *see* ALBEAUX-FERNET, M., 1239*
ROSE, E., *see* DOHAN, F. C., 884†
ROSENBAUM, J. D.; PAPPER, S., and ASHLEY, M. M.: Variations in renal excretion of sodium independent of change in adrenocortical hormone dosage in patients with Addison's disease, 1459*
ROSENBAUM, P. J., *see* GOLDENBERG, I. S., 227*
ROSENBLUM, J., *see* ROTHCHILD, I., 151*
ROSENBLUTH, M., *see* PERSKY, M., 891†, 1247*
ROSENTHAL, I. M., *see* KIEFER, J. H., 154*
ROSENZWEIG, R. E., *see* BLIVAISS, B. B., 875†
ROTHCHILD, I.; HENDRICKS, C. H.; ROSENBLUM, J.; VON HAAM, E., and BARNES, A. C.: Effects of intravenous progesterone on the cytologic and histologic characteristics of human cervical carcinoma (Letter to the Editor), 151*
RUBIN, B. L., and DORFMAN, R. I.: Quantitative assay of 11-β-hydroxylase activity in whole adrenal homogenates, 892†
RUBINGER, J. H., *see* STRISOWER, B., 73*
RUSSFIELD, A. B.: Histology of the human hypophysis in thyroid disease—hypothyroidism, hyperthyroidism, and cancer, 1393*
RYNEARSON, E. H., *see* TROEN, P., 857†

SABSHIN, M.; PERSKY, H., and BOARD, F. A.: Some psychologic and biochemical relationships in healthy subjects receiving intravenous ACTH on successive occasions, 892†
SAFFRAN, M.; SCHALLY, A. V., and BENFEY, B. G.: Role of the neurohypophysis in the release of ACTH, 840†
——, *see* SCHONBAUM, E., 893†
SAINT-MARC, J., *see* GOLDFIEN, A., 850†
SALHANICK, H. A., *see* ZARROW, M. X., 22*
SAMUELS, L. T., *see* EIK-NES, K., 13*
——, *see* SANDBERG, A. A., 851†
SANDBERG, A. A.; EIK-NES, K., and MIGEON, C.: A defect of 17-hydroxycorticosteroid (17-OHCS) metabolism in dying patients, 893†
——; MIGEON, C., and SAMUELS, L. T.: Distribution of radioactive hydrocortisone (compound F) and radioactive corticosterone (compound B) in human subjects, 851†
——, *see* EIK-NES, K., 13*
SANDBERG, H., *see* PAULSEN, C. A., 846†
SAWITZ, W. G., *see* WOLFE, S. M., 745*
SAYERS, G.: Blood ACTH (Editorial), 754*
——, and BURKS, R.: Pitressin and blood ACTH in adrenalectomized rats, 840†
SCHALLY, A. V., *see* SAFFRAN, M., 840†
SCHERP, H. W., *see* HECKEL, G. P., 877†
SCHONBAUM, E.; BIRMINGHAM, M. K., and SAFFRAN, M.: Importance of glucose in the stimulation of isolated rat adrenals by ACTH, 893†
SCHOTTSTAEDT, W. W., *see* HETZEL, B. S., 1057*
SCHULTZ, A., and ZIEVE, L.: Early prediction of success or failure of radioiodine therapy of hyperthyroidism, 834†
——, *see* JACOBSON, W. E., 801*
SCHWARTZ, R., *see* DANOWSKI, T. S., 1116*
SCOW, R. O., The 1955 Schering Scholar of the Endocrine Society, 910
SEELY, J. R., *see* ELY, R. S., 523*
SEGAL, S. J., and WITSCHI, E.: The specificity of the weaver-finch test for the luteinizing gonadotropins (LH and CGH), 880†
SEGALOFF, A.: Current therapy of virilizing adrenal hyperplasia (Editorial), 373*
——; FLORES, A., and STEELMAN, S. L.: Prolactin as a factor in luteinizing hormone assay, 847†
——; GORDON, D.; HORWITT, B. N., and WEED, J. C.: Differential diagnosis of virilism (Teaching Clinic), 142*
SELENKOW, H. A., and ASPER, S. P., JR.: The effectiveness of triiodothyronine or thyroxine administered orally in the treatment of myxedema, 285*
SELYE, H.: Interactions between corticoid and folliculoid hormones in the regula-

tion of anabolism, lymphatic tissue and inflammation, 893†
——: On the toxicity of 9α-fluorohydrocortisone and 9α-chlorohydrocortisone (Letter to the Editor), 384*
SEVY, R. W., *see* OHLER, E. A., 890†
SEWEKOW, G. W., *see* ROBINSON, H. J., 317*
SHEID, H. L., *see* HAYNES, R. C., JR., 1257*
SHELTON, E. KOST: Obituary, 832
SHEPPARD, R. H.; MORSE, W. I.; RENOLD, A. E., and THORN, G. W.: Studies on aldosterone in man, 853†
SHIPLEY, R. A., *see* MILLER, M., 860†
SHREEVE, W. W., *see* MILLER, M., 860†
SIEBER, W. K., *see* PETERS, J. H., 182*
SIKER, E. S.; LIPSCHITZ, E., and KLEIN, R.: The effect of various pre-anesthetic medications on pituitary-adrenal function, 894†
SILBER, R. H., and BUSCH, R. D.: The specificity of the reaction of phenylhydrazine with 17,21-dihydroxy-20-ketosteroids (Letter to the Editor), 505*
——, *see* ROBINSON, H. J., 317*
SILVER, S.; YOHALEM, S. B., and NEWBURGER, R. A.: Pitfalls in the diagnostic use of radioactive iodine, 866†
SIMON, A., *see* STRISOWER, B., 73*
SIMONS, L., *see* ENGLERT, E., JR., 886†
SIMPSON, M. E., *see* CONTOPOULOS, A. N., 841†
SKILLERN, P. G.: Some recent advances in the knowledge of hypoglycemia (Editorial), 826*
SJÖGREN, B., *see* LUFT, R., 391*
SLATE, W. G., *see* BRADBURY, J. T., 1291*
SLATER, S. L., *see* PERLMUTTER, M., 835†
SLAUNWHITE, W. R., JR., *see* CHANG, E., 767*
——, *see* MIGEON, C. J., 775*
SLINGERLAND, D. W.: Action of antithyroid substances on the *in vivo* conversion of diiodotyrosine to thyroxine, 867†
——: The influence of various factors on the uptake of iodine by the thyroid, 131*
SMITH, T. C., and RICHTERICH, B.: The respiration of slices of mammary gland from pregnant and lactating guinea pigs, 880†
——, *see* WOTIZ, N. H., 896†
SNIPES, G., *see* STARR, P., 98*
SOBEL, E. S., *see* PALEY, K. R., 995*
SOFFER, L. J., *see* GABRILOVE, J. L., 585*
——, *see* WIENER, R., 1131*
SPINETTI BERTI, M., *see* ROCHE, M., 838†
SPINK, W. W., *see* HALBERG, F., 887†
SPOONER, M., *see* WERNER, S. C., 715*
STANBURY, J. B.; KASSENAAR, A. A. H.; MEIJER, J. W. A., and TERPSTRA, J.: The occurrence of mono-and di-iodotyrosine in the blood of a patient with congenital goiter, 1216*
——; OHELA, K., and PITT-RIVERS, R.: The metabolism of iodine in 2 goitrous cretins compared with that in 2 patients receiving methimazole, 54*
——, *see* DINGLEDINE, W. S., 724*
——, *see* GOLDSMITH, R., 568*
——, *see* MARTIN, J. M., 811*
——, *see* PITT-RIVERS, R., 616*
STARR, P., and KALLMAN, B.: Studies of the thyroid hormone: triiodothyronine, 867†
——, and LEIBHOLD-SCHUECK, R.: Studies on the thyroid hormone: sodium dextrothyroxine, 868†
——; SNIPES, G., and LIEBHOLD-SCHUECK, R.: Biologic effects of triiodothyronine in human subjects, 98*
STEELMAN, S. L., *see* SEGALOFF, A., 847†
STERNBERG, J., and FRAPPIER, A.: Studies on thyroid function in B.C.G.-vaccinated guinea pig, 868†
STEVENS, C. E., *see* D'ANGELO, S. A., 884†
STEYERMARK, P., *see* NOWACZYNSKI, W., 889†
STIMMEL, B. F., and MAY, J. A.: The metabolism of radioactive estradiol in men, 880†
STOLTE, L. A. M.; BAKKER, J. H. J., and VERBOOM, E.: Melanocyte-stimulating hormone excretion during pregnancy (Letter to the Editor), 762*
STRICKER, J., *see* ADLERSBERG, D., 882†
STRINGA, S., *see* MANCINI, R. E., 888†
STRISOWER, B.; GOFMAN, J. W., GALIONI, E.; RUBINGER, J. H.; O'BRIEN, G. W., and SIMON, A.: Effect of long-term administration of desiccated thyroid on serum lipoprotein and cholesterol levels, 73*
STRÖM, L., *see* GEMZELL, C. A., 537*
STUMPF, H. H., *see* GERSHBERG, H., 872†
STURGIS, S. H., *see* VASICKA, A., 882†
——, *see* VELARDO, J. T., 895†
SUHRER, J. G., JR., *see* CRILE, G., JR., 1422*
SUNDERMAN, F. W., *see* DEBIAS, D. A., 863†
SWEAT, M. L., with the technical assistance of LIPSCOMB, M.D.: Adrenocorticosteroids in peripheral and adrenal venous blood of man, 1043*
SWEENY, D. N., JR., *see* WOLFSON, W. Q., 156*
SZILAGYI, D. E.; BARRETT, J. L., and PREUSS, L. E.: The amount of tissue to be preserved at subtotal thyroidectomy: an estimate based on serial isotope tracer measurements, 1409*

TAGNON, R. F., and DEVREUX, S.: Effect of intravenous injection of fructose, with and without ACTH administration, on the level of blood glucose, 1475*
TALBOT, N. B.; CRAWFORD, J. D., and KER-

RIGAN, G.: Dynamic endocrinology in everyday clinical medicine (Editorial), 276*
——; ULICK, S.; KOUPREIANOW, A., and ZYGMUNTOWICZ, A.: Counter-current distribution procedure for the quantitative-qualitative analysis of small amounts of urinary corticosteroids, 301*
——, *see* KERRIGAN, G. A., 265*
TAYLOR, N. M., *see* WOLFSON, W. Q., 156*
TERPSTRA, J., *see* STANBURY, J. B., 1216*
THORN, G. W., *see* ABU HAYDAR, N., 858†
——, *see* DINGMAN, J. F., 871†
——, *see* HILL, S. R., JR., 887†
——, *see* LEWIS, J. L., JR., 829*
——, *see* SHEPPARD, R. H., 853†
TIBBETTS, D., *see* BAKER, W. H., 848†
TILLOTSON, C., *see* KOCHAKIAN, C. D., 849†
TIMMIS, G. W., *see* WOLFSON, W. Q., 991*
TOLKSDORF, S., and PERLMAN, P. L.: Effects of chronic administration of meticorten and metocortelone, 894†
TOMITA, K., *see* LARSON, F. C., 836†
TOUCHSTONE, J. C., BULASCHENKO, H., and DOHAN, F. C.: The isolation of 11-dehydrocorticosterone, corticosterone, and tetrahydro compound S (pregnane-3α, 17α-21-triol-20-one) from the urine of a man receiving corticotropin (Letter to the Editor), 760*
——; BULASCHENKO, H.; RICHARDSON, E. M., and DOHAN, F. C.: The excretion of pregnane-3α-17α, 21-triol-20-one (tetrahydro S) in normal and pathologic urine, 854†
——; GLAZER, L.; COOPER, D. Y., and ROBERTS, J. M.: The isolation of Δ^4-androstene-11β-ol-3,17-dione from human adrenal incubates (Letter to the Editor), 382*
TRAUT, H. F., *see* GORDAN, G. S., 1*
TREADWELL, C. R., *see* DURY, A., 818*
TREGIER, A., *see* HOMBURGER, F., 878†
TROEN, P., and RYNEARSON, E. H.: The prophylactic use of cortisone for surgery of the pituitary, 857†
TRUNNELL, J. B., and WADE, P.: Factors governing the development of the chick embryo thyroid. II. Chronology of the synthesis of iodinated compounds studied by chromatographic analysis, 107*
TSUMORI, H.; JENSEN, E.; HUNNICUTT, A. J.; FOREMAN, N., and KINSELL, L. W.: Juvenile hyperparathyroidism in association with peptic ulcer, 1141*
TYLER, E. T.: Comparative evaluation of various types of administration of progesterone, 881†
TYLER, F. H., *see* EIK-NES, K., 13*
——, *see* PERKOFF, G. T., 362*

ULICK, S., *see* TALBOT, N. B., 301*
UNTERMAN, D.; DEGRAFF, A. C., and KUPPERMAN, H. S.: The effect of hypoadrenalism and desoxycorticosterone acetate upon the response of the rat to ouabain, 895†

VALE, J. M.; OGRYZLO, M. A., and JOHNSTON, M. W.: The value of thyrotropic hormone in the differentiation between primary and secondary myxedema, 868†
VANARSDEL, P. P., JR.: Maternal hyperparathyroidism as a cause of neonatal tetany: case report and review of 29 cases of parathyroid adenoma, 680*
VANDERLINDE, R. L., *see* ARONS, W. L., 854†
VAN DYKE, D. C., *see* CONTOPOULOS, A. N., 841†
VAN ITALLIE, T. B.; MORGAN, M. C., and DOTTI, L. B., assisted by LIN, H. J.: Effect of glucagon on peripheral utilization of glucose in man, 28*
VAN MIDDLESWORTH, L.: A method for iodide balance studies in animals on low iodide diets, 835†
VAN WYK, J. J., *see* GRUMBACH, M. M., 845†, 1161*
VARNEY, R. F., *see* KESSLER, W. B., 849†
VASICKA, A., and STURGIS, S. H.: Effect of estrogen and testosterone on rate of nucleic-acid synthesis in mouse mammary cancer *in vivo*, 882†
VELARDO, J. T., and STURGIS, S. H.: Inhibitory action of hydrocortisone acetate, 9α-fluoro-hydrocortisone acetate, and ACTH on estradiol-17β-induced uterine growth, 895†
VENNING, E. H.; BECK, J. C.; DYRENFURTH, I., and GIROUD, C. J. P.: Studies on the excretion of the sodium-retaining corticoid, 853†
VERA, J., *see* ROCHE, M., 838†
VERBOOM, E., *see* STOLTE, L. A. M., 762*
VESSELL, M., *see* KUPPERMAN, H. S., 911*
VILAR, O., *see* DE LA BALZE, F. A., 875†
VOGEL, M. J., *see* BENSON, R. C., 784*
VOLK, B. W., and GOLDNER, M. G.: Effect of prolonged growth-hormone administration on pancreatic alpha cells in hypophysectomized rats, 898†
VON HAAM, E., *see* ROTHCHILD, I., 151*
VOSBURGH, L., *see* KUPPERMAN, H. S., 911*
VOSE, S. N., *see* LESSER, M. A., 297*

WADE, P., *see* TRUNNELL, J. B., 107*
WALLACE, E. Z.; CHRISTY, N. P., and JAILER,

J. W.: Clinical application of the simplified Silber-Porter method for determining plasma 17-hydroxycorticosteroids, 1073*
——; CHRISTY, N. P., and JAILER, J. W.: Response of plasma 17-hydroxycorticosteroid levels to ACTH in adrenocortical disease and in pregnancy, 855†
——, *see* CHRISTY, N. P., 859†
WANG, C-I.; BOSSAK, E. T., and ADLERSBERG, D.: Prednisone and plasma lipids (Letter to the Editor), 1308*
——, *see* BOSSAK, E. T., 857†
WANG, D. M. K., *see* HENNEMAN, P. H., 858†
WANNER, H., *see* ROBINSON, H. J., 317*
WEED, J. C., *see* SEGALOFF, A., 142*
WEICHSELBAUM, T. E., and MARGRAF, H. W., with the technical assistance of MACK, R.: Determination in plasma of free 17-hydroxy and 17-desoxy corticosteroids and their glucuronic-acid conjugates, 970*
WEINER, R., *see* MAENGWYN-DAVIES, G. D., 1150*
WEISBADER, H., *see* BLATT, M. H. G., 874†
——, *see* KUPPERMAN, H. S., 850†, 911*
WELSH, G. W.; HENLEY, E. D.; WILLIAMS, R. H., and ELGEE, N. J.: The distribution and degradation of I^{131}-labeled insulin in normal subjects and in diabetics, 861†
WERNER, S. C.; SPOONER, M., and HAMILTON, H.: Further evidence that hyperthyroidism (Graves' disease) is not hyperpituitarism: effects of triiodothyronine and sodium iodide, 715*
WEST, C. D., *see* LIPSETT, M. B., 842†
WEYLAND, R. D., *see* KINSELL, L. W., 859†
WHITELAW, M. J.: Effects of parenteral, oral, buccal and vaginal progesterone on the endometrium, 881†
——, and ESCAMILLA, R. F.: Use of sublingual ergot alkaloids (Hydergine) in the control of vasomotor flushes, 487*
——, and ISLAND, D.: Achard-Thiers syndrome due to bilateral adrenocortical hyperplasia: diagnosis and treatment, 896†
WHITTINGTON, J. M., *see* HETZEL, B. S., 1057*
WIED, G. L., *see* DAVIS, M. E., 923*
WIENER, R.; IANNACCONE, A.; EISENBERG, J.; GRIBOFF, S. I.; LUDWIG, A. W., and SOFFER, L. J.: Influence of hormone therapy on body fluids, electrolyte balance and mucopolysaccharides in myxedema, 1131*
WILKINS, L., *see* GRUMBACH, M. M., 845†, 1161*
WILLARDSON, D. G., *see* ENGLERT, E., JR., 886†
WILLIAMS, R. H., *see* HYDE, P. M., 888†
——, *see* WELSH, G. W., 861†
WINCH, G. A., *see* GORDAN, G. S., 1*
WIRTH, P., *see* DANOWSKI, T. S., 1262*
WITSCHI, E.: On morphogenic capacities of the estrogens (Editorial), 647*
——, *see* SEGAL, S. J., 880†
WOLFE, S. M.; SAWITZ, W. G., and PASCHKIS, K. E.: Pituitary dwarfism and toxoplasmosis, 745*
WOLFF, H. G., *see* HETZEL, B. S., 1057*
WOLFSON, W. Q.; DE FILIPPIS, V.; TAYLOR, N. M., and SWEENY, D. N., JR.: Decreased blood urea levels after resection of adrenocortical tumor for Cushing's syndrome (Letter to the Editor), 156*
——, and TIMMIS, G. W.: Human corticosterone metabolism. V. The failure of large oral doses of corticosterone to increase urinary uropepsin, 991*
WOOLNER, L. B., *see* MORTENSEN, JD, 1270*
WORCESTER, J., *see* MCARTHUR, J. W., 845†
WOTIZ, H. H., and SMITH, T. C.: Effects of sonic vibration on steroids, 896†
WRENSHALL, G. A., and BOGOCH, A.: The weight and extractable insulin of the pancreas in adult nondiabetic man, 435*

YALOW, R. S., *see* PALEY, K. R., 995*
YODER, R. D., *see* DANOWSKI, T. S., 1116*
YOHALEM, S. B., *see* SILVER, S., 866†
YOUNT, E., and LITTLE, J. M.: Renal clearance in patients with myxedema, 343*

ZARROW, M. X.; HOLSTROM, E. G., and SALHANICK, H. A.: The concentration of relaxin in the blood serum and other tissues of women during pregnancy, 22*
ZIEVE, L., *see* SCHULTZ, A., 834†
ZYGMUNTOWICZ, A., *see* TALBOT, N. B., 301*

SUBJECT INDEX TO VOLUME 15

* Original article.

† Abstract of paper presented at the Thirty-seventh Annual Meeting of the Endocrine Society.

ABSTRACTS of papers presented at the 37th Annual Meeting of the Endocrine Society, Atlantic City, N. J. (June 1955), 834†

ACHARD-THIERS SYNDROME: *see* Syndromes

ACNE: *see* Skin

ACROMEGALY: *see* Pituitary disorders

ACTH: *see* Pituitary preparations, adrenocorticotropic hormone

ADDISON'S DISEASE: *see also* Adrenal disorders
- —— and peptic ulcer, 1300*
- —— blood in: *see also* Adrenal, preps. & comps.; Blood
- —— effect of metacortandracin & metacortandralone in, 851†
- —— electrolyte metabolism in: *see also* Electrolytes
- —— familial, with spastic paraplegia, 739*
- —— hypoadrenocorticism in pituitary myxedema (autopsy), 492*
- —— metabolic effects of progesterone in, 1194*
- —— 17-OH-CS of blood & urine in, 886†
- —— 17-OH-CS of plasma in, by simplified S-P method, 1073*
- —— 17-OH-CS of plasma in, during i.v. admin. of ACTH, 13*
- —— renal excretion of Na; changes in, independent of changes in cortical hormone dosage, 1459*
- —— studies on aldosterone in, 853†
- —— therapy: *see also* Adrenal preps. & comps.
- —— urinary corticosteroids in, measured by counter-curr. distrib., 301*
- —— urine in: *see also* Adrenal preps. & comps.; Steroids
- —— with normal basal secretion of 17-OH-CS, 858†

ADH (antidiuretic hormone): *see* Pituitary preps. & comps.

ADRENALINE: *see* Adrenal preps. & comps., epinephrine

ADRENALS

DISORDERS
- —— Addison's disease: *see* Addison's disease
- —— adrenal hyperplasia, virilizing; current therapy of, 373*
- —— adrenalectomized patient on cortisone; diuresis, 17-OH-CS, electrolyte and N excretion during stress, 1057*
- —— adrenocortical hyperplasia; aberrant adrenal function, 1291*
- —— adrenogenital syndrome; effect of different corticoids on 17-KS in, 911*
- —— aldosteronism, 621*
- —— bilateral adrenal hyperplasia and adrenal tumor; CS of blood in, 1043*
- —— bilateral adrenalectomy in man; water & salt metab. foll'g, 409*
- —— bilateral adrenocortical hyperplasia in case of Achard-Thiers syndrome, 896†
- —— congenital adrenal hyperplasia; plasma 17-OH-CS in, by simplified S-P method, 1073*
- —— congenital adrenal hyperplasia with hypertension; unusual steroid pattern in blood and urine, 1531*
- —— Cushing's syndrome: *see* Cushing's syndrome
- —— hyper- and hypoadrenocorticism; exchangeable body Na and K measurements in, 854†
- —— subtotal adrenalectomy for Cushing's syn.; anaphylactic reaction to i.v. ACTH after, 362*
- —— tumor in Cushing's disease, detected by extraperitoneal pneumography, 1144*
- —— tumor, masculinizing; pregnancy following removal of, 154*
- —— tumor resected for Cushing's syn.; blood urea levels foll'g, 156*
- —— tumors in female; virilism, 142*
- —— various; excretion of tetrahydro S in, 854†

PHYSIOLOGY & PATHOLOGY
- —— (ACTH) adrenocorticotropic hormone: see Pituitary preps. & comps.
- —— adrenal function after hypophysectomy in diabetes m., 391*
- —— adrenal glands and adrenal vein blood, human; analysis for steroidal substances, 324*
- —— adrenal-pituitary and sympathico-adrenal systems during stress & admin. of ACTH, 885†
- —— adrenal vein blood of man; adreno-

ADRENALS (*cont.*)
PHYSIOLOGY & PATHOLOGY (*cont.*)
corticosteroids in; effect of ACTH, 1043*
—— adrenalectomized rats; Pitressin and blood ACTH in, 840†
—— adrenalectomy; effect on glucose-6-phosphatase activity in rat liver, 897†
—— adrenocortical activity and ACTH, 754*
—— adrenocortical and thyroidal functions; effect of TSH on, 585*
—— adrenocortical function; effect of partial hypophysectomy on, in the dog, 843†
—— adrenocortical function; influence of the thyroid on, 1499*
—— adrenocortical function; method for assessment of, 1035*
—— and hypophysis at autopsy, in thyroid disease, 1393*
—— atrophy & lipoid depletion of cortex of, in advanced myxedema, 44*
——bilateral adrenalectomy in rat; changes in blood ACTH (cross-circ. technique), 841†
—— pituitary-adrenal function; effect of pre-anesthetic medications on, 94†
—— stress-induced adrenal ascorbic-acid depletion; blockade of, 890†
—— thyroid-adrenocortical metabolic interrels. in various thyroid conditions, 227*
PREPARATIONS & COMPOUNDS
—— adrenal steroids in dystrophia myotonica, 801*
—— adrenocortical and psychologic response to stress in man, 887†
—— adrenocortical hormones; inhibition of growth-hormone diabetes in hypoph'd dogs by, 897†
—— adrenocortical steroids, long-term admin.; production of "steroid diabetes" by, 883†
—— adrenocortical steroids of blood & urine; methods for assessment of, 1035*, 1524*
—— aldosterone—a review, 621*
—— aldosterone; acute renal response to (assay method), 852†
—— aldosterone and other steroids; effect on renal functions & water intox., 853†
—— aldosterone; assay of, by i.v. admin. to adr'lect'd rat, 888†
—— aldosterone, hydrocortisone & cortisone; recovery of, foll'g dialysis, 1310*

ADRENALS (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
—— aldosterone; secretion of, by hypoph'd dogs, 852†
—— (aldosterone) sodium-retaining corticoid; studies on excretion (bilat. adr'lect'y; stress; arthritis), 853†
—— aldosterone; studies on, in Addison's dis., 853†
—— aldosterone, urinary; microchem. estimation of, 886†
—— Δ^4-androstene-3,17-dione in pre- and post-natal human adrenals, 379*
—— Δ^4-androstene-11β-ol-3,17-dione; isolation of from human adrenal incubates, 382*
—— compounds E and F: *see* separate categories—Cortisone; Hydrocortisone
—— conjugates of C-21 steroids in human plasma, 855†
—— corticoids and folliculoids in the regulation of anabolism, lymphatic tissue & inflammation, 893†
—— corticoids; endotoxin-induced hypothermia in mice, 887†
—— corticoids of serum in liver disease; effect of cortisone, ACTH & stress, 943*
—— corticoids, urinary; atypical P-S reaction after admin. of sulfamerazine, 1152*
—— corticosteroid secretion in adrenal vein of cold-exposed dogs, 889†
—— corticosteroids and 17-KS in study of thyroid-adrenocort. interrels., 227*
—— corticosteroids; effect on steroidogenesis, 890†
—— corticosteroids (17,21,OH-CS); question of analytic destruct. of, by phosgene, 377*
—— corticosteroids, urinary; counter-curr. distrib. procedure for quant. qual.-analysis of small amounts of, 301*
—— corticosterone and 17-OH-corticosterone in peripheral & adrenal venous blood of man; effect of ACTH, 1043*
—— cortisol: *see also* separate category, Hydrocortisone
—— cortisone: *see also* separate category, Cortisone
—— DCA and hypoadrenalism; effect on response of rat to ouabain, 895†
—— 11-dehydrocorticosterone, corti-

ADRENALS (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
costerone & tetrahydro S in urine of man with rheum. fever, treated with ACTH, 760*
—— dehydroepiandrosterone in plasma of adult males & females, 702*
—— dehydroepiandrosterone; predominant 17-KS in plasma of adult males, 693*
—— determination of free plasma 17-hydroxy & 17-desoxy corticosteroids & gluc.-acid conjugates, 970*
—— 17,21-dihydroxy-20-ketosteroids of plasma during & after pregnancy, 317*
—— 17,21-dihydroxy-20-ketosteroids; specificity of reaction with phenylhydrazine, 505*
—— epinephrine; effect on plasma lipids in epilepsy, 818*
—— epinephrine in study of effect of glucagon on periph. utilization of glucose in man, 28*
—— 9α-fluoro and 9α-chloro hydrocortisone: *see also* separate category, Hydrocortisone
—— 9α-halogenated steroids admin'd to rat; inhibition of ACTH activity foll'g, 849†
—— homogenates; quant. assay of 11-β-hydroxylase activity in, 891†
—— hydrocortisone: *see also* separate category
—— metacortandracin and metacortandralone in Addison's dis., 851†
—— metacortandracin, 9α-fluorohydrocortisone & hydrocortisone; effect on ACTH secretion, 850†, 911*
—— Meticorten and Meticortelone; effect of chronic administration of, 894†
—— 17-OH-CS and ACTH of blood; effect of hypothalamic lesions on, foll'g trauma in the dog, 839†
—— 17-OH-CS; defect in metab. of, in dying patients, 893†
—— 17-OH-CS during i.v. admin. of ACTH; response in various clin. conditions, 13*
—— 17-OH-CS excretion during menstrual cycle, 1150*
—— 17-OH-CS excretion during stress, in man; diurnal variations, 1057*
—— 17-OH-CS excretion in rheum. fever; effect of cortisone, ACTH & salicylates, 523*
—— 17-OH-CS in sweat; effect of hydrocortisone admin., 829*

ADRENALS (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
—— 17-OH-CS; normal basal secretion of, in Addison's dis., 858†
—— 17-OH-CS of blood and urine; kinetics of response to ACTH, 856†
—— 17-OH-CS of plasma and urine in eval. of adrenocort. function, 886†
—— 17-OH-CS of plasma; clin. application of simplified S-P method for, in endocrine disease, 1073*
—— 17-OH-CS of plasma during preoperative period, 1069*
—— 17-OH-CS of plasma; effect of pyrogenic reaction inhibited by aminopyrine, 859†
—— 17-OH-CS of plasma; response of, to ACTH in adrenocort. disease & pregnancy, 855†
—— 17-OH-CS, total, of plasma; determination of, 891†
—— prednisone, cortisone & hydrocortisone; effect on plasma lipids, 1308*
—— steroid output of rat adrenals; effect of age on, 883†
—— steroidal substances (incl. comps. B & F) in human adrenal vein blood & adrenal glands, 324*
—— steroids; chromogenic spectra of, in 100 per cent phosphoric acid, 889†
—— steroids of urine; effect of hypoph'y on; cortisone therapy postop., 1239*
—— tetrahydro S; excretion of, in normal & path. urine, 854†
—— unusual steroid pattern in blood & urine in congen. adrenal hyperplasia with hypertension, 1531*
Cortisone (*compound E*)
—— administration; effect of estrogen & androgen on calcium metab. during, 858†
—— and DCA; constant dosage of, in Addison's dis.; variation in renal excretion of Na during, 1459*
—— and growth hormone; effect on CH metab. in hypophy'd monkeys, 844†
—— and high cholesterol diet; effect on phospholipid turnover in rabbit, 885†
—— and hydrocortisone, radioactive, distribution of, in human subjects, 851†
—— effect on body fluids, steroids, electrolytes & mucopolysaccharides in myxedema, 1131*
—— effect on changes in water excretion after hypoph'y in man, 553*
—— effect on corticoids of serum,

ADRENALS (*cont.*)
Cortisone (*compound E*) (*cont.*)
acid-hydrolyzable, in various conditions, 215*
—— effect on excretion of radioactive vit. B_{12} in rats, 858†
—— effect on SPI in hypothyroid patients maintained on thyroid, 953*
—— effect on steroid excretion and menses in adrenal hyperplasia, 1291*
——, growth hormone & triiodothyronine; interactions of, in exper. diabetes, 860†
—— hazard of, in hypercholesteremia, 882†
——, hydrocortisone & DCA; effect on urinary volume & electrolytes, 891†
—— in current therapy of virilizing hyperplasia (oral *vs.* parenteral), 373*
—— inhibition of ADH secretion by, 871†
—— long-term therapy in r. arthritis: metab. & endocrinologic results of abrupt cessation of, 856†
—— orally; route of absorption in patient with chylothorax; blood corticosteroids, 167*
—— prophylactic use of, for surgery of pituitary, 857†
—— species variations in response of serum lipoproteins to, 857†
—— therapy; development of peptic ulcer during, in Addison's dis., 1300*
—— withdrawal after bilat. adr'lect'y in man; changes in water & salt metab. foll'g, 409*
Hydrocortisone (*compound F*) (*cortisol*)
—— and ACTH; inhibitory action of, on estradiol-induced uterine growth, 895†
—— and ascorbic acid; effect on adrenal function in cold-exposed g. pig, 884†
—— and corticosterone; effect of large oral doses on uropepsin/creatinine ratio, 991*
—— and derivatives; i.v. infusion of; effect on CH metabolism, 891†
—— 4-C^{14}-labeled; biliary excretion of radioactivity after, in the rat, 888†
—— cortisol and growth hormone; influence of, on blood formation in hypoph'd rats, 841†

ADRENALS (*cont.*)
Hydrocortisone compound F) (*cortisol*) (*cont.*)
—— cortisol; effect on mast cells of hypoph'd rats, 873†
—— 9α-fluoro and 9α-chloro hydrocortisone; toxicity of, in rats, 384*
—— 9α-fluorohydrocortisone; suppression of endogenous adrenocort. secretion with, in adrenal disease, 850†
—— intravenously; acute effects on glucose & insulin tolerances & P metab., 1247*
—— intravenously; effects on electrolytes of serum & urine, 176*
—— isolation of metabolites foll'g perfusion of radioactive cortisol through rat liver, 883†
—— metabolism (serum & urine) in man; lack of effect of ascorbic acid on, 1257*
—— plasma clearance; 17-OH-CS and 17-KS excretion, in study of effect of thyroid on adrenocort. function, 1499*
—— topical; effect on keloids & scars, 888†
—— water-soluble preparation of, for clinical use, 763*
AGE: *see also* Children; Infants
—— effect on adrenal steroid output of rat, 883†
—— effect on extractable glucagon of pancreas, 1089*
—— in relation to glycogen conc. in endometrium, 1106*
—— in relation to weight of the thyroid & incidence of nodules, 1270*
ALDOSTERONE: *see* Adrenal preps. & comps.
ALKALI
—— alkaline incineration for PBI, 354*
—— effect of, on intermedin, 842†
—— therapy, oral; useful agent for, 503*
ALLEN'S method of correction: *see* Methods; Steroids, 17-KS
ALLERGENIC properties of pregnanediol, 877†
AMENORRHEA: *see* Menstruation
AMERICAN DIABETES ASSOCIATION
—— Annual Meeting, Atlantic City, N.J., 1955 (one joint session with the Endocrine Society)
—— program, 512; abstracts of papers on, 859†
AMERICAN GERIATRICS SOCIETY; 1955 Annual Meeting, 282
AMERICAN GOITER ASSOCIATION
Annual Meetings
—— April 1955, Oklahoma City, Okla.;

AMERICAN GOITER ASSOCIATION (*cont.*)
Annual Meetings (*cont.*)
announcements of, 164, 282, 390, 516; program, 516
—— April 1956, Chicago, Ill.; announcements of, 1455, 1537
Awards (Van Meter Prize; Award of Merit; Certificates for Meritorious Service)
—— for 1955; announcement of, 164; recipients of, 1456
—— for 1956; announcements of, 1455, 1537
AMERICAN MEDICAL WRITERS' ASSOCIATION; 1955 Annual Meeting, 519
AMINO NITROGEN: *see* Nitrogen
AMINOPYRINE inhibition of the plasma 17-OH-CS increase produced by the pyrogenic reaction, 859†
ANAPHYLAXIS: *see also* Reactions
—— anaphylactic reaction to i.v. ACTH after adrenalectomy; immunologic studies, 362*
ANDROGENS: *see also* Testis; Sex; Steroids
—— androgenic manifestations in ovarian agenesis, 1*, 877†, 1161*
—— androsterone in plasma of adults, 693*, 702*
—— effect of, on Ca metab. during admin. of cortisone, 858†
—— effect of testosterone prop. on prostate gland of patients over 45, 297*
—— excretion of: *see also* Steroids
—— 19-nortestosterone and testosterone; comparison of anabolic and androgenic effectiveness (oral *vs.* s. c. route), 848†
—— 19-nortestosterone; metabolic effects in breast cancer & osteoporosis, 848†
—— stimulation of: *see* Gonadotropins
—— TCP; effects of x-irrad. on response of access. sex organs to, in rat, 877†
—— various, and castration; effect on individual muscles of g. pig, 849†
Δ^4-ANDROSTENE-3,17,DIONE: *see* Adrenal preps. & comps.
Δ^4-ANDROSTENE-11β-OL-3,17-DIONE: *see* Adrenal preps. & comps.
ANNOUNCEMENTS: see *Endocrine Society;* and Am. Diabetes A.; Am. Geriatrics Soc.; Am. Goiter A.; Am. Med. Writers' A.; Ciba Foundation; Congress of French-Speaking Endocrinologists; Harvard Med. School; Henry Ford Hosp.; Inter-Society Cytology Council; Laurentian Hormone Conference; New York Acad. Med.
ANNUAL MEETINGS: *see* Announcements, and under name of Society
ANTHRONE method: *see* Methods
ANTIDIURETIC HORMONE (ADH): *see* Pituitary preps. & comps.
ANTITHYROID DRUGS: *see also* Cyanate; Mercapto compounds; Thio compounds; Thyroid disorders
—— action on conversion of diiodotyrosine to thyroxine, 867†
—— effect on I^{131} tests for hyperthyroidism, 995*
ARTHRITIS
—— rheumatoid; metabolic & endocrinologic results of abrupt cessation of long-term cortisone therapy in, 856 †
—— rheumatoid; plasma 17,21,dihydroxy-20-ketosteroids in pregnancy, as related to, 317*
—— therapy: *see also* Adrenal preps. & comps.
ASCORBIC ACID: *see* Adrenal physiology; Vitamins
AUTHOR INDEX to Volume 15, 1538
AWARDS: *see* Endocrine Society; Am. Goiter A.; Ciba Foundation
AYERST, MCKENNA & HARRISON FELLOWSHIP: *see* Endocrine Society, awards

BASAL METABOLISM
—— effect of antithyroid drugs on: *see* Antithyroid drugs; Thyroid disorders
—— effect of iodine on, *see* Iodine; Thyroid disorders
—— effect of progesterone on, 1194*
—— effect of triiodothyronine and other thyroid subst. on, *see* Thyroid prep. & comps.
—— evaluation of response to thyroid, 148*
—— hypometabolism, non-myxedematous; the syndrome, and effects of triiodothyronine & thyroxine, 1354*
—— hypometabolism without hypothyroidism; diagnostic accuracy of PBI in, 1379*
—— in dystrophia myotonica, 801*
—— in study of amount of tissue to be left at subtotal thyroidectomy, 1409*
—— in study of tolerance for thyroid in myxedema, 568*
—— in study of triiodothyroacetic acid in myxedema, 653*
—— in study of TSH in relation to adrenocort. & thyroid function, 585*
—— in thyroid disorders: *see* Thyroid
—— in various endocrinopathies: *see* specific gland or disease
—— plus PBI and cholesterol in eval. of oral triiodothyronine & thyroxine in myxedema, 285*

BASAL METABOLISM (*cont.*)
—— versus PBI; diagnostic accuracy of, in thyroid disease, 1379*
BASOPHILS of pituitary: *see* Pituitary physiology & pathology
BLOOD: *see also* under constituent or under disorder involved
—— ACTH (editorial), 754*
—— ACTH in: *see also* Pituitary prep. & comps.
—— adrenocortical steroids in peripheral blood of man, 1524*
—— calcium: *see* Calcium; Electrolytes
—— cells; alterations in, after bilat. adrenalectomy in man, 409*
—— chloride: *see* Electrolytes; Sodium
—— cholesterol: *see* Cholesterol; Lipids
—— corticosteroids: *see* Adrenal prep. & comps.
—— 17,21-dihydroxy-20-ketosteroids: *see* Adrenal preps. & comps.
—— electrolytes: *see* Electrolytes
—— enzymes: *see* Enzymes
—— eosinophils; effect of i.v. ACTH on during prolonged oral cortisone therapy, 13*
—— eosinophils; effect of i.v. hydrocortisone on, 176*
—— eosinophils; effect of progesterone on, 1194*
—— erythrocytosis assoc. with acyclic hemorrhagic menstrual bleeding, 199*
—— formation of, in hypoph'd rat; effect of GH & cortisol on, 841†
—— free 17-hydroxy and 17-desoxy corticosteroids & their gluc.-acid conjugates; determination of, 970*
—— glucose: *see* Carbohydrate metabolism; Diabetes; Insulin
—— gonadotropin: *see* Gonadotropins
—— growth hormone activity in; method for, 537*
—— hydrocortisone: *see* Adrenal preps. & comps.
—— 17-hydroxycorticoids (17-OH-CS) in: *see* Adrenal preps. & comps.
—— iodine: *see* Iodine
—— 17-ketosteroids of, 693*, 702* (*see also* Steroids)
—— lipids: *see* Lipids
—— lipoproteins, 73* (*see also* Lipids)
—— lympholytic action of Meticorten, 894†
—— mono- and di-iodotyrosine in, 1216* (*see also* Thyroid preps. & comps.)
—— mucopolysaccharides: *see* Carbohydrate metabolism
—— new serum I component in functional Ca of thyroid, 1315*
BLOOD (*cont.*)
—— of adrenal vein; adrenocorticosteroids in, 324*, 1043*
—— phosphorus: *see* Phosphorus
—— potassium: *see* Potassium; Electrolytes
—— pressure: *see* Vascular system
—— progesterone: *see* Progesterone
—— protein: *see* Nitrogen; Lipids; Protein
—— red cell volume, circ'g, of hypoph'd rats; effect of plasma from pregnant rats on, 841†
—— relaxin: *see* Relaxin
—— sugar: *see* Carbohydrate metabolism Diabetes; Insulin
—— thyroidal substances in: *see* Thyroid preps. & comps.
—— triiodothyronine: *see* Thyroid preps. & comps.
—— TSH: *see* Pituitary preps. & comps.
—— white cells; glucose uptake by, in diabetes, 897†
BODY
—— fluids: *see* Blood; Chylothorax; Peritoneal fluid; Saliva; Sweat; Tissues; Urine
—— growth and weight: *see* Children; Dwarfism; Infants; Nutrition; Pituitary preps., growth hormone
—— temperature: *see* Temperature
—— tissues: *see* Tissues; and under organ involved
BONE: *see also* Arthritis; Calcium; Parathyroid; Phosphorus
—— metastases to: *see* Thyroid disorders, cancer
—— pseudofractures with hypercalcemia; osteomalacia *vs.* hyperparathyroidism, 870†
—— rickets, hypophosphatemic, with slight acidosis, 869†
—— skeletal abnormalities in pseudo-pseudohypoparathyroidism, 576*,964*
—— tibia test used in assay of growth hormone activity, 537*
BOOKS RECEIVED (REGISTER): 166, 283, 522, 660, 774, 1158
BRAIN: *see also* Mental; Nervous system
—— cerebrospinal fluid; metabolism of iodine in, 1482*
—— EEG changes & mental deficiency in pseudo-pseudohypoparathyroidism, 576*
—— hypothalamus: *see* Hypothalamus
BREAST: *see also* Ovary
—— gynecomastia, familial, associated with genital abnormalities, 182*
—— mammary cancer of mouse; rate of nucleic-acid synthesis in; effect of sex steroids on, 882*

BREAST (*cont.*)
—— mammary gland slices from pregnant g. pigs; respiration of, 880†
—— prolactin: *see* Gonadotropins

C^{14}; *see* Radioactive
CALCIUM: *see also* Bone; Electrolytes; Parathyroids
—— metabolism; effect of estrogen & androgen on, during admin. of cortisone, 858†
CANCER: *see also* under specific organ involved
—— I^{131} in study and treatment of: *see* Iodine, radioactive
—— incidence of, in androgen-treated prostatic abnormalities after age of 45, 297*
—— metastatic; Δ^4-androstene-11β-ol-3, 17-dione in incubates of adrenals from patients with, 382*
—— neoplastic diseases; PBI foll'g admin. of thyroxine in, 1116*
—— neoplastic nodules of the thyroid; age, sex & geog. relationships; incidence in clin. normal glands, 1270*
—— new serum I component in functional Ca of thyroid, 1315*
—— of cervix; effect of i.v. progesterone on, 151*
—— studies in thyroid cancer, *see* Thyroid disorders
—— therapy: *see also* Androgens; Estrogens; Radioactive
CARBOHYDRATE METABOLISM: *see also* Diabetes; Insulin; Pancreas
—— effect of aldosterone on, 621*
—— effect of i.v. hydrocortisone & derivatives on, 891†
—— fructose, i.v., with & without ACTH; effect on blood glucose in normal & diabetic subjects, 1475*
—— glucagon; effect on peripheral utilization of glucose in man, 28*
—— glucagon (HGF), extractable, of the human pancreas, 1089*
—— glucose and insulin tolerances; acute effects of i.v. hydrocortisone on, 1247*
—— glucose, C^{14}-labeled; metabolism of, in normal & diabetic subjects, 860†
—— glucose; importance of, in stimulation of rat adrenals by ACTH, 893†
—— glucose levels; effect on lipogenesis & oxidation in rat liver & adipose tissue, 861†
—— glucose tolerance in Cushing's dis., before & after operation & ACTH, 1144*
CARBOHYDRATE METABOLISM (*cont.*)
—— glycogen of endometrium; quant. estimation of, using anthrone method, 1106*
—— hormonally induced changes in glucose-6-phosphatase activity in rat liver, 897†
—— hypoglycemia: recent advances in knowledge of, 826*
—— in intact & hypoph'd monkeys; effect of GH & cortisone on, 844†
—— ketone & glucose levels in blood; effect of pituitary ketogenic factor on, in rat, 872†
—— mucopolysaccharides; effect of hormones on, in myxedema, 1131*
CARCINOMA: *see* Cancer; and under specific organ involved
CASTRATES: *see* Ovary; Testis
CERATE color, stable, in PBI method, 354*
CEREBROSPINAL FLUID; metabolism of iodine in, 1482*
CHILDREN: *see also* Growth; Infants; and under various endocrine disorders
—— congenital disorders: *see* Congenital
—— diabetic, receiving steroids; effect of thyroxine on PBI in, 1116*
—— histopathologic exam. of skin in diagnosis of myxedema in, 459*
—— idiopathic spont. hypoglycemia; recent advances in knowledge of, 826*
—— juvenile diabetes, severe; hypophysectomy in, 859†
—— juvenile hyperparathyroidism with peptic ulcer, 1141*
—— thyroid cancer in; pathologic considerations and their therapeutic implications, 1437*
—— with rheumatic fever: *see* Rheumatic fever
CHLORIDE (salt): *see* Electrolytes; Sodium
CHLOROHYDROCORTISONE: *see* Adrenal preps. & comps.
CHOLESTEROL (of blood): *see also* Lipids
—— effect of prednisone on, 1308*
—— effect of prolonged thyroid therapy on, 73*
—— effect of triiodothyroacetic acid on, in myxedema, 653*
—— following hypophysectomy in man, 1228*, 1239*
—— hypercholesteremia; hazard of ACTH & cortisone in, 882†
—— in diagnosis of various thyroid states, 1379*
—— in dystrophia myotonica, 801*
—— in evaluation of oral triiodothyronine & thyroxine in myxedema, 285*
—— in non-myx. hypometabolism; effect of triiodothyronine & thyroxine, 1354*

CHOLESTEROL (*cont.*)
—— in study of amount of tissue to be left at subtotal thyroidectomy, 1409*
CHORIONIC GONADOTROPIN: *see* Gonadotropin; Pregnancy
CHROMATOGRAPHY: *see* Methods
CHROMOSOMAL SEX: *see* Sex
CHYLOTHORAX; route of absorption of oral cortisone in, 167*
CIBA AWARD: *see* Endocrine Society, awards
CIBA FOUNDATION AWARDS for Research into Problems of Ageing, 282
CIRRHOSIS: *see* Liver
CLIMACTERIC: *see* Estrogens; Menstruation; Ovary
CLINICS, Teaching: *see* Teaching Clinics
COLD: *see* Temperature
COMPOUNDS B, E, F, tetrahydro S: *see* Adrenal preps. & comps.
CONGENITAL: *see also* Familial; Hermaphrodism
—— adrenal hyperplasia: *see* Adrenal disorders
—— anomalies associated with gonadal agenesis, 1,* 1161*
—— anomalies in pseudo-pseudohypoparathyroidism, 576*, 964*
—— goiter; mono- and di-iodotyrosine of blood in, 1216*
—— goiter: *see also* Infants; Thyroid disorders
—— toxoplasmosis with pituitary dwarfism, 745*
CONTENTS of Volume 15, page i (December)
CORTICOIDS; CORTICOSTEROIDS; CORTICOSTERONE: *see* Adrenal preps. & comps.; Steroids
CORTISONE: *see* Adrenal preps. & comps.
COUNTER-CURRENT distribution procedure: *see* Methods
CREATININE: *see* Nitrogen
CRETINISM: *see* Thyroid disorders, hypothyroidism
CRYPTORCHIDISM: *see* Testis
CUSHING'S SYNDROME: *see also* Adrenal disorders; Pituitary disorders
—— adrenocorticoids in adrenal venous blood and in plasma, 1043*
—— complications in management of, including anaphylactic reaction to i.v. ACTH after adrenalectomy, 362*
—— diagnosis in doubt; adrenal tumor detected by extraperitoneal pneumography, 1144*
—— effect of 9-α-fluorohydrocortisone on steroid secretion in, 850†
—— 17-OH-CS of blood and urine in, 886†
—— 17-OH-CS of plasma in, by simplified S-P method; effect of adrenalectomy, 1073*
CUSHING'S SYNDROME (*cont.*)
—— 17-OH-CS of plasma in, during i.v. admin., of ACTH, 13*
—— removal of adrenal tumor for; dec'd blood urea levels foll'g, 156*
—— urinary corticosteroids in, measured by counter-curr. distribution, 301*
—— without adrenocortical tumor; effect of roentgen irrad. of pituitary in, 884†
CYANATE; discharge of thyroidal I^{131} after i.v. NaSCN in hyperthyroidism, 238*
CYANIDE-inhibited I uptake of thyroid slices; effect of methylene blue on, 131*

11-DEHYDROCORTICOSTERONE: *see* Adrenal preps. & comps.
DEHYDROEPIANDROSTERONE: *see* Adrenal preps. & comps.
17-DESOXYCORTICOSTEROIDS: Desoxycorticosterone (DCA): *see* Adrenal preps. & comps.
DIABETES INSIPIDUS: *see* Pituitary disorders
DIABETES MELLITUS: *see also* Carbohydrate metabolism; Insulin; Pancreas
—— associated with dystrophia myotonica, 801*
—— diabetic children receiving steroids; PBI foll'g admin. of thyroxine in, 1116*
—— diabetic nephropathy; relation to control of diabetes, 499*
—— diabetic-like glomerulosclerosis produced by long-term admin. of adrenocort. steroids, 883†
—— distribution and degradation of I^{131}-labeled insulin in, 861†
—— experimental; interactions of GH, cortisone & triiodothyronine in, 860†
—— fructose, i.v., with & without ACTH; effect on blood glucose in, 1475*
—— glucagon, extractable, of the human pancreas, 1089*
—— glucose tolerance tests: *see also* Carbohydrate metabolism
—— glucose uptake by white blood cells in, 897†
—— in case of gigantism & acromegaly; renal and autopsy studies, 872†
—— insulin therapy: *see also* Insulin
—— metabolism of C^{14}-labeled glucose in, 860†
—— prolonged admin. of vit. B_{12}, folic acid and Ca pantothenate in, 898†
—— retroplacental blood; growth hormone-like activity in, 537*
—— severe; effects of hypophysectomy in, 391*
—— severe, juvenile; hypophysectomy in, 859†

DIABETES MELLITUS (*cont.*)
—— sugar tolerance tests: *see also* Carbohydrate metabolism
DIALYSIS: *see* Methods
DIET: *see also* Nutrition; Vitamins
—— effect of urinary amino nitrogen levels, 481*
—— iodine content of; effect on thyroid physiology, 995*
—— iodine-restricted (rice regimen); effect on I^{131} uptake, 592*
17,21,DIHYDROXY-20-KETOSTEROIDS: *see* Adrenal preps. & comps.
DIIODOTHYRONINE: *see* Thyroid preps. & comps.
DIIODOTYROSINE: *see* Thyroid preps. & comps.
DINITROPHENOL
—— depression of PBI with, 862†
—— effect on iodide transport in thyroid slices, 131*, 598*
DIURESIS: *see* Kidney; Pituitary preps. & comps. (ADH); Water
DWARFISM: *see also* Growth; Syndromes; and under various endocrine disorders
—— associated with gonadal agenesis, 1*, 1161*
—— cretinism: see Thyroid disorders, hypothyroidism
—— pituitary dwarfism & toxoplasmosis, 745*
—— pituitary dwarfism: *see also* Pituitary disorders
DYNAMIC endocrinology in everyday clinical medicine, 276*
DYSGENESIS
—— gonadal, 1*, 877†, 1161*
—— thyroidal, as a cause of cretinism; I^{131} studies, 668*
DYSTROPHIA MYOTONICA: *see* Muscle

EDITOR, Letters to: *see* Letters to the Editor
EDITORIALS: 148*, 276*, 373*, 499*, 647*, 754*, 826*, 1035*, 1524*
ELECTROCARDIOGRAM: *see* Heart
ELECTROCORTIN: *see* Adrenal preps. & comps. aldosterone
ELECTROENCEPHALOGRAM (EEG): *see* Brain
ELECTROLYTES: *see also* under various endocrine disorders
—— and water; excretion of, in rats with diabetes insipidus, 870†
—— chloride excretion; effect of progesterone on, 1194*
—— dynamic endocrinology in clinical medicine, 265*, 276*
—— effect of aldosterone on—a review, 621*
ELECTROLYTES (*cont.*)
—— effect of TSH, cortisone & thyroid on, in myxedema, 1131*
—— metabolic effects of 19-nortestosterone on, in breast cancer & osteoporosis, 848†
—— of serum & urine foll'g i.v. admin. of hydrocortisone, 176*
—— urinary; effect of adrenal steroids on, 891*
—— urinary Na & K in assay of aldosterone, 852†
ENDOCRINE: *see also* Androgens; Estrogens; Gonadotropins; Hormones; Progesterone; Steroids; and under various glands
—— studies in dystrophia myotonica (histologic & chemical), 801*
ENDOCRINE SOCIETY
ABSTRACTS
—— of papers presented at the 37th Annual Meeting (1955), Atlantic City, N.J., 834†
ANNUAL MEETINGS
—— *Thirty-seventh*, Atlantic City, N.J., June 1955
—announcements of, 161, 279, 387, 508, 656
— probram of (last session, joint, with Am. Diabetes A.), 508
— abstracts of papers on program, 834†
—— *Thirty-eighth*, Chicago, Ill., June 1956
— announcements of, 1313, 1453, 1535
AWARDS (Medal of the Endocrine Society; Ciba Award; Ayerst, McKenna & Harrison Fellowship; Schering Scholar; Upjohn Scholar)
—— *for 1955*
— announcements of, 162, 279, 387, 513, 656
— recipients of, 906
—— *for 1956*
— announcements of, 771, 904, 1040, 1156, 1313, 1453, 1535
FELLOWSHIPS: *see* Endocrine Society, awards
JOURNAL OF CLINICAL ENDOCRINOLOGY & METABOLISM: *see Journal*
MEDAL: *see* Endocrine Society, awards
OFFICERS; COUNCIL; PUBLICATIONS COMMITTEE; EDITORIAL BOARD & EDITOR
—— *for 1954–55: see* general information pages, front ad section, Jan.–June issues
—— *for 1955–56: see Ibid.* July–Dec. issues

ENDOCRINE SOCIETY (*cont.*)
POSTGRADUATE ASSEMBLY IN ENDOCRINOLOGY & METABOLISM, Sept.–Oct. 1955 (sponsored with Indiana University School of Medicine, Indianapolis)
—— announcements of, 515, 659, 771, 899, 1039, 1155
—— program, 900
SCHOLARS: *see* Endocrine Society, awards
ENDOCRINOLOGY
—— assemblies, conferences, congresses, courses, meetings, symposiums on: *see* Announcements; and under name of organization
—— dynamic, in everyday clinical medicine, 265*, 276*
ENDOMETRIUM: *see* Uterus; Menstruation
ENZYME Symposium, Henry Ford Hospital, 773
ENZYMES
—— alk. phosphatase & carbonic anhydrase; effect on iodide transport in thyroid slices, 598*
—— glucagon (HGF), extractable, of the human pancreas, 1089*
—— glucose-6-phosphatase; hormonally induced changes in, in rat liver, 897†
—— β-glucuronidase, renal; response to gonadotropins, 876†
—— β-glucuronidase: *see also* Methods, for corticoids
—— respiratory; effect on thyroid-slice uptake of iodide, 131*
—— uropepsin; effect of corticosterone & hydrocortisone on, 991*
EOSINOPHILS: *see* Blood
EPILEPSY: *see* Nervous system
EPINEPHRINE: *see* Adrenal preps. & comps.
EPIPHYSES: *see* Bone
ERGOT alkaloids, sublingually, in control of vasomotor flushes, 487*
ESTRADIOL; ESTRIN; ESTRIOL: *see* Estrogens
ESTROGENS: *see also* Gonadotropins; Hermaphrodism; Menstruation; Ovary; Progesterone; Pregnancy; Sex; Steroids
—— and reserpine in treatment of the climacteric, 874†
—— and testosterone; effect on nucleic-acid synthesis in mouse mamm. cancer, 882†
—— determination of, in stored urines of pregnancy, 210*
—— effect on calcium metab. during admin. of cortisone, 858†
—— employed in study of effect of 17-α-hydroxyprogesterone-caproate in castrates, 923*
—— estradiol, radioactive; metabolism of, in man, 880†
ESTROGENS (*cont.*)
—— excretion; effect of admin'd FSH on, after the menopause, 846†
—— extracts from urine of pregnancy; nonspecific fluorescent material in, 775*
—— morphogenic capacities of, 647*
—— vaginal smear, as a method of endocrine evaluation, 876†
EUNUCHISM & EUNUCHOIDISM: *see* Ovary; Testis; Pituitary
EXERCISE: *see* Stress
EXOPHTHALMIC GOITER: *see* Thyroid disorders, hyperthyroidism
EXOPHTHALMOS: *see* Eyes: Thyroid disorders, hyperthyroidism
EYES
—— cataracts in dystrophia myotonica, 801*
—— chorioretinitis in pituitary dwarf with toxoplasmosis, 745*
—— exophthalmos, malignant edematous; effect of hypophysectomy on, 1239*
—— exophthalmos: *see also* Thyroid disorders, hyperthyroidism
—— lens opacities in pseudo-pseudohypoparathyroidism, 576*, 964*
—— retinopathy of severe diabetes; effect of hypophysectomy on, 391*

FAMILIAL
—— Addison's disease with spastic paraplegia, 739*
—— athyreotic cretinism, 469*
—— gynecomastia associated with genital abnormalities, 182*
—— hereditary diabetes insipidus; 20 cases in 7 generations, 547*
—— hypogonadotropic eunuchoidism, 931*
FAT: *see also* Cholesterol; Diet; Lipids
—— I^{131}-labeled fat, in study of absorption of oral cortisone in chylothorax, 167*
—— neutral fat of plasma; effect of epinephrine on, in epilepsy, 818*
FELLOWSHIPS: *see* Endocrine Society, awards
FERTILITY: *see* Ovary; Pregnancy; Testis
FETUS
—— Δ^4-androstene-3,17,dione in pre- and post-natal human adrenals, 379*
—— chick embryo thyroid; synthesis of I compounds in, 98*
—— dysgenesis of the gonads: *see* Gonads
—— dysgenesis of the thyroid in cretinism, 668*
—— fetal thyroids, human; accum. of I^{131} by, 661*
—— histochemistry of fetal pituitary body, 685*

FLUORESCENCE
—— fluorescent material, nonspecific, in estrogen extracts from urine of pregnancy, 775*
—— fluorescent steroids of blood in various endocrinopathies, 1043*
—— vulvar; principles of identification & measurement, 784*
9α-FLUOROHYDROCORTISONE: *see* Adrenal preps. & comps.
FOLLICLE-STIMULATING HORMONE (FSH): *see* Gonadotropins; Pituitary
FRENCH-SPEAKING Endocrinologists; Third Congress, 519
FRUCTOSE: *see* Carbohydrate metabolism
FSH: *see* Gonadotropins; Pituitary

GASTRO-INTESTINAL TRACT
—— gastric and salivary secretion of I^{131} in the rat, 862†
—— peptic ulcer and Addison's disease, 1300*
—— peptic ulcer in juvenile hyperparathyroidism, 1141*
GIGANTISM: *see* Pituitary disorders
GLUCAGON (HGF): *see also* Carbohydrate metabolism
—— effect on peripheral utilization of glucose in man, 28*
—— extractable, of the human pancreas, 1089*
GLUCOSE: *see* Carbohydrate metabolism; Diabetes; Insulin
GLUCURONIC-ACID CONJUGATES: *see* Adrenal preps. & comps.
β-GLUCURONIDASE: *see* Enzymes; Methods for corticoids
GLYCOSURIA: *see* Carbohydrate metabolism; Diabetes
GOITER: *see* Thyroid disorders; Iodine; Antithyroid drugs
GOITROGENS: *see* Antithyroid drugs; Thyroid disorders
GONADAL DYSGENESIS: *see* Gonads; Sex
GONADOTROPINS: *see also* Pituitary preps.; Pregnancy
—— chorionic, in pregnancy: *see* Pregnancy
—— chorionic, of serum; sources of error in clinical bioassays, 424*
—— chorionic, titers of, using 2 species of male toads, 845†
—— excretion in dystrophia myotonica, 801*
—— from ovarian neoplasm, causing precocious puberty, 1518*
GONADOTROPINS (*cont.*)
—— FSH and estrogen; response to, in normal *vs.* intrasplenically grafted ovary, 874†
—— FSH excretion; lack of, in eunuchoid syndrome in the female, 846†
—— FSH related to cells of pituitary gland, 871†
—— FSH therapy; effect on urinary estrogen after the menopause, 846†
—— hypogonadotropic eunuchoidism, familial, 931*
—— in familial male gynecomastia, 182*
—— in gonadal dysgenesis, 1*, 877†, 1161*
—— interstitial-cell stimulating hormone (ICSH), urinary, in menstrual disorders, 845†
—— LH, assay of; prolactin as a factor in, 847†
—— luteinizing; specificity of weaver-finch test for, 880†
—— response of renal β-glucuronidase to, 876†
GONADS: *see also* Androgens; Estrogens; Gonadotropins; Hermaphrodism; Ovary; Sex; Testis
—— gonadal dysgenesis; chromosomal sex in, 1*, 845†, 877†, 1161*
GRAVES' DISEASE: *see* Thyroid disorders, hyperthyroidism
GROWTH: *see also* Children; Dwarfism
—— and replacement of cells in man; growth of nails as method for measurement, 844†
—— growth hormone (GH) activity: *see* Pituitary preps. & comps., growth hormone
—— of bodies and organs of rats treated with Meticorten & Meticortelone, 894†
—— precocity in female children, 1518*
—— precocity: *see also* Adrenal disorders; Puberty, precocious
GYNECOMASTIA: *see* Breast

HAIR
—— hirsutism; development of, during pregnancy, 1281*
—— hirsutism, idiopathic, without true virilism, 142*
—— hirsutism: *see also* associated with Adrenal disorders; Cushing's syndrome; Hermaphrodism; Ovarian disorders; Virilism
HALOGENS: halogenated steroids; 9α-fluoro and 9α-chloro hydrocortisone: *see* Adrenal preps. & comps.

HARVARD MEDICAL SCHOOL: course in Pediatric Endocrinology, 390
HASHIMOTO DISEASE: *see* Thyroid disorders
HEART
—— ECG findings during triiodothyronine therapy in myxedema, 98*
—— ouabain; response of rat heart to; effect of hypoadrenalism & DCA on, 895†
HENRY FORD HOSPITAL: Enzyme Symposium announcement, 773
HEPATITIS: *see* Liver
HEREDITARY: *see* Congenital; Familial
HERMAPHRODISM: *see also* Adrenal disorders; Ovary; Sex; Testis; Virilism
—— male pseudohermaphrodite, newborn; Δ^4-androstene-3,17-dione in adrenals of, 379*
—— pseudohermaphrodism, male; chromosomal sex in, 845†, 1161*
—— sex reversal; morphogenic capacities of estrogens, 647*
HEXOSAMINE: *see* Carbohydrate metabolism, mucopolysaccharides
HGF: *see* Glucagon
HIRSUTISM: *see* Hair
HORMONES: *see* Androgens; Estrogens; Gonadotropins; Progesterone; Steroids; and under various endocrine glands
HYDERGINE: *see* Ergot, alkaloids
HYDROCORTISONE: *see* Adrenal preps. & comps.
17-HYDROXYCORTICOSTEROIDS: *see* Adrenal preps. & comps.
17-α-HYDROXYPROGESTERONE-CAPROATE: *see* Progesterone
HYPERGLYCEMIA: *see* Carbohydrate metabolism; Diabetes
HYPERTENSION: *see* Vascular system
HYPERTHYROIDISM: *see* Thyroid disorders
HYPERTRICHOSIS: *see* Hair
HYPOGENITALISM: *see* Androgens; Estrogens; Ovary; Testis; Pituitary
HYPOGLYCEMIA: *see* Carbohydrate metabolism; Diabetes; Insulin
HYPOGONADISM: *see* Ovary; Testis; Pituitary
HYPOPHYSIS: *see* Pituitary
HYPOPITUITARISM: *see* Pituitary disorders
HYPOTHALAMUS
—— lesion causing precocious puberty, 1518*
—— lesions of; effect on blood ACTH & 17-OH-CS foll'g trauma in the dog, 839†
—— of hypoph'd rats; ADH content of, 873†
—— separate hypothalamic centers for control of ACTH & TSH secretion, 839†
HYPOTHYROIDISM: *see* Thyroid disorders

INDEX
—— author, to Vol. 15, 1538
—— subject, to Vol. 15, 1553
INDIANA UNIVERSITY SCHOOL OF MEDICINE; co-sponsor: *see* Endocrine Society, Postgraduate Assembly in Endocrinology
INFANTS: *see also* Congenital; Children; Fetus; Pregnancy
—— neonatal tetany; maternal hyperparathyroidism as cause, 680*
—— post-natal human adrenals; Δ^4-androstene-3,17-dione in, 379*
—— with thyroid disease; histology of hypophysis & adrenals in, 1393*
INFERTILITY: *see* Ovary; Testis
INFLAMMATION: *see* Stress
INSULIN: *see also* Carbohydrate metabolism; Diabetes; Pancreas
—— and glucose tolerances; acute effect of i.v. hydrocortisone on, 1247*
—— effect on excretion of radioactive vitamin B_{12} in rats, 858†
—— extractable, of pancreas, in adult nondiabetic man, 435*
—— I^{131}-labeled; distribution & degradation of, in normal & diabetic subjects, 861†
—— sensitivity after hypoph'y in severe diabetes m., 391*
INTER-SOCIETY CYTOLOGY COUNCIL Meeting, 1042
INTERSTITIAL-CELL STIMULATING HORMONE (ICSH): *see* Gonadotropins; Pituitary
IODINATED COMPOUNDS: *see* Iodine; Thyroid, preps. & comps.
IODINE: *see also* Antithyroid drugs; Thyroid
—— iodide balance studies in animals on low iodide diets, 835†
—— iodide, stable; effect on thyroid secretion in hyperthyroidism, 864†
—— iodide uptake of thyroid slices; influence of various factors on, 131*
—— iodinated compounds: *see also* Thyroid preps. & comps.
—— iodine depletion methods for TSH assay in the chick: comparison of, 838†
—— PBI and disposal of exog. thyroxine; effect of vit. A supplements on, 1262*
—— PBI by alk. incineration; production of stable cerate color, 354*
—— PBI; depression of, with dinitrophenol, 862†
—— PBI determination and I^{131} uptake in thyroid dis.; diagnostic accuracy of, 1379*
—— PBI; effect of triiodothyroacetic acid on, in myxedema, 653*
—— PBI in evaluation of oral triiodothyroxine in myxedema, 285*

IODINE (*cont.*)
—— PBI in study of effect of TSH on thyroidal & adrenocort. function, 585*
—— PBI in study of sodium dextro- and levo-thyroxine, 868†
—— PBI in study of tolerance for thyroid in myxedema, 568*
—— PBI levels foll'g admin. of thyroxine in various diseases, 1116*
—— radioactive: *see* separate category
—— SPI; effect of surgery, serious illness and cortisone on, 953*
RADIOACTIVE
—— accumulation of, by human fetal thyroids, 661*
—— avidity of solitary thyroid nodules for; therapeutic implications, 835†
—— comparison of thyroidal plasma I^{131} clearance & PBI^{131} test for hyperthyroidism, 995*
—— conversion of thyroxine to 3-5-3′-triiodothyronine in vivo, studied by I^{131}, 616*
—— I^{131} clearance, thyroidal; diphasic character of, 347*
—— I^{131} irradiation; defect in function of rat thyroid induced by, 866†
—— I^{131} labeled fat in study of absorption of oral cortisone in chylothorax, 167*
—— I^{131} labeled thyroxine, in study of triiodothyronine, 867†
—— I^{131} studies in cretinism, 668*
—— I^{131} therapy of hyperthyroidism; prediction of success with, 834†
—— I^{131}; tissue distribution of, in BCG-vaccinated g. pigs, 868†
—— I^{131} treated patients; triiodothyronine in serum of, 1367*
—— I^{131} treated thyroid gland; response to TSH (uptake & PBI), 811*
—— in study of chronology of synthesis of iodinated compounds in the chick embryo, 107*
—— in study of thyroidal function after hypoph'y in severe diabetes, 391*
—— in treatment of childhood carcinoma, 1437*
—— iodide kinetics; influence of renal factors on, 866†
—— iodide transport in thyroid slices; effect of metabolic inhibitors on, 598*
—— iodide uptake and hormone release; relationship between TSH effects on, 865†

IODINE (*cont.*)
RADIOACTIVE (*cont.*)
—— iodide-conc'g and protein-binding capacity of hyperfunctioning thyroid gland; simult. measurement by I^{131}, 238*
—— iodide conc'g capacity relative to metabolic activity in surviving thyroid slices, studied by I^{131}, 442*
—— iodinated constituents of the thyroid gland in exoph. goiter, studied by I^{131}, 724*
—— iodinated substances of the blood; nature & transport of, in hyperthyroidism, studied by I^{131}, 724*
—— kinetics of I^{131} accum. by thyroid in hyperthyroidism; influence of single large doses of propylthiouracil, 331*
—— large doses of I^{131} in treatment of toxic adenomatous goiter, 1512*
—— metabolism of iodine in cerebrospinal fluid, studied by I^{131}, 1482*
—— metabolism of iodine in goitrous cretins compared with that in patients receiving methimazole, studied by I^{131}, 54*
—— mono- and di-iodotyrosine of blood, studied with I^{131}, 1216*
—— new serum iodine component in functional Ca of the thyroid treated with I^{131}, 1315*
—— pitfalls in diagnostic use of, 866†
—— radioiodine tests of thyroid function; clinical appraisal of, 838†
—— radiothyroidectomy-induced pituitary tumors in mice, 81*
—— salivary and gastric secretion of, in the rat, 862†
—— scintiscanning for detection of Ca in nodular goiter, 865†
—— serial I^{131} study of amount of tissue to be preserved at subtot. thyroidectomy, 1409*
—— sodium iodide, triiodothyronine & TSH; effects in hyperthyroidism, studied by I^{131}, 715*
—— therapy; effect in thyrotoxic myopathy plus myasthenia gravis, 476*
—— uptake and excretion of I^{131} in endemic goiter in Venezuela, 838†
—— uptake and PBI foll'g hypophysectomy in man, 1228*, 1239*
—— uptake and PBI in dystrophia myotonica, 801*
—— uptake and PBI in familial

IODINE (*cont.*)
RADIOACTIVE (*cont.*)
athyreotic cretinism; effects of thyroid, 469*
—— uptake and PBI in familial hypogonadotropic eunuchoidism, 931*
—— uptake and PBI in non-myx. hypometabolism treated with triiodothyronine & thyroxine, 1354*
—— uptake and PBI in pituitary dwarf with toxoplasmosis, 745*
—— uptake, as modified by an I-restricted (rice) diet, 592*
—— uptake, BEI^{131} and PBI in subacute thyroiditis, 837†
—— uptake, PBI and BMR in study of biol. effects of triiodothyronine 98*
—— uptake, PBI and clinical response, after treatment with I^{131}, 118*
IRRADIATION: *see* Radioactive; Roentgen ray
ISOTOPES: *see* Radioactive

JOINTS: *see* Arthritis; Bone
JOURNAL OF CLINICAL ENDOCRINOLOGY & METABOLISM
—— Contents of Volume 15 (1955), page i, December issue
—— Editorial Board, Editor, Publications Committee: *see* Editorial page, front ad section
—— Editorials: *see* Editorials
—— Indexes to Volume 15 (1955)—author, 1538; subject, 1553
—— Letters to the Editor: *see* Letters to the Editor
JUVENILE: *see* Children

KELOIDS: *see* Skin
KETONES: *see* Carbohydrate metabolism
KETOSTEROIDS & 17-KETOSTEROIDS: *see* STEROIDS
KIDNEY: *see also* Urine
—— damage from 9α-fluoro and 9α-chloro hydrocortisone in rats, 384*
—— diuresis: *see also* Pituitary, diabetes insipidus, and preps. & comps.; Water
—— effect of hypophysectomy on, in severe diabetes m., 391*
—— glomerulosclerosis, diabetic-like, produced by long-term admin. of adrenocort. steroids, 883†
—— nephropathy, diabetic; relation to control of diabetes, 499*
—— pyelonephritis, severe, as complication of adrenalectomy for Cushing's syndrome, 362*
—— renal-ADH-neurohypophyseal system in clinical medicine, 265*, 276*
—— renal clearance in myxedema, 343*
—— renal disease; plasma 17-OH-CS and ur. steroids in, by simplified S-P method, 1073*
—— renal excretion of hydrocortisone hemisuccinate, 763*
—— renal excretion of Na in Addison's dis.; changes in, independent of changes in adrenal hormone dosage, 1459*
—— renal factors; influence on iodide kinetics, 866†
—— renal function and plasma & urinary urea; effect of GH on, in dogs, 843†
—— renal functions and water intox.; effect of aldosterone & other steroids on, 853†
—— renal response, acute, to aldosterone; basis for assay method, 852†
—— renal studies in acromegaly with diabetes m., 872†
—— urinary alkalinity; useful agent for, 503*
KINETICS of iodine accumulation: *see* Iodine; Thyroid

LACTATION: *see* Breast; Pregnancy
LAURENTIAN HORMONE CONFERENCE: announcement 282; program, 520
LETTERS TO THE EDITOR: 151*, 154*, 156*, 377*, 379*, 382*, 384*, 503*, 505*, 653*, 653*, 760*, 762*, 763*, 765*, 767*, 829*, 1150*, 1152*, 1308*, 1310*, 1531*
LIPIDS & LIPOPROTEINS: *see also* Cholesterol; Fat; Protein
—— lipid components & phospholipid turnover in rabbits; effect of cortisone & high chol. diet on, 885†
—— lipogenesis & oxidation; effect of glucose levels on, in rat liver & adipose tissue, 861†
—— lipoproteins of serum; effect of prolonged thyroid therapy on, 73*
—— lipoproteins of serum; species variations in response of, to cortisone, 857†
—— of plasma; components & interrels. in normal & epileptic humans, 818*
—— of plasma; effect of prednisone on, 1308*
—— of serum; effect of TSH, cortisone & thyroid on, in myxedema, 1131*
—— urinary formaldehydogenic lipids; method for, free from formaldehyde retention, 765*

LIVER
—— biliary excretion of radioactivity after hydrocortisone-4-C^{14}, in rats, 888†
—— cirrhosis; PBI foll'g admin. of thyroxine in, 1116*
—— disease; influence of diet on amino N levels in, 481*
—— disease; serum corticoids in; effect of cortisone, ACTH & surg. stress on, 943*
—— formation of conjugated corticoids in, 215*
—— isolated, of rat; metabolites foll'g perfusion of cortisol through, 883†
—— metabolism of hydrocortisone hemisuccinate by, 763*
—— portal venous system in the absorption of cortisone in chylothorax, 167*
LUMINESCENCE: *see* Fluorescence
LYMPHATIC TISSUE
—— marked invol. of, foll'g admin. of halogenated hydrocortisones in rats, 384*
—— regulation of; interactions of corticoids & folliculoids in, 893†
LYMPHATICS
—— absorption of cortisone in chylothorax, 167*
LYMPHOMA, malignant: *see* Thyroid disorders

MAST CELLS: *see* Tissues
MEDAL: *see* Endocrine Society, awards
MEETINGS: *see* Announcements
MELANOCYTE-STIMULATING HORMONE: *see* Pituitary, preps. & comps.
MENOPAUSE: *see* Estrogens; Menstruation; Ovary
MENSTRUATION: *see also* Estrogens; Progesterone; Ovary; Uterus
—— acyclic, hemorrhagic, associated with erythrocytosis, 199*
—— amenorrhea of adrenocort. hyperplasia treated with cortisone, 1291*
—— climacteric treated by reserpine, alone or combined with estrogen and/or testosterone, 874†
—— normal and abnormal; urinary ICSH in, 845†
—— 17-OH-CS excretion during cycle, 1150*
—— quant. changes in glycogen content of endometrium during, 1106*
—— vaginal smear as a method of endocrine evaluation, 876†
—— vasomotor flushes; control by ergot alkaloids sublingually, 487*
MENTAL: *see also* Brain; Nervous system
—— depression foll'g adrenalectomy for Cushing's syndrome, 362*
MENTAL (*cont.*)
—— psychologic & biochem. relationships in healthy subjects rec'g i.v. ACTH on successive days, 892†
—— psychologic responses: *see* Stress
—— schizophrenia; effect of prolonged thyroid therapy on lipoproteins & cholesterol of serum in, 73*
MERCAPTO COMPOUNDS: *see also* Antithyroid
—— mercaptoimidazole (methimazole); metab. of I in patients receiving, compared with that in goitrous cretins, 54*
—— mercaptoimidazole used to inhibit organic binding in study of metabolism of thyroid slices, 442*
METABOLISM: *see also* specific substance involved
—— basal metabolism (clinical): *see* Basal metabolism
—— metabolic inhibitors; effect of, on iodide transport in thyroid slices, 598*
—— respiration of thyroid slices; effect of various factors on, 131*
METACORTANDRACIN: *see* Adrenal preps. & comps.
METALS, heavy; effect on thyroid-slice uptake of iodide, 131*
METHIMAZOLE: *see* Mercapto compounds; Antithyroid drugs
METHODS: *see also* Tests
—— acid-hydrolyzable corticoids of serum, 215*
—— agent for oral alkali therapy, 503*
—— anthrone method for quant. estimation of endometrial glycogen, 1106*
—— comparison of ur. Zimmermann chromogens by Girard fract'n and by Allen's method of correction, 767*
—— counter-current distribution procedure for quant.-qual. analysis of small amounts of ur. corticosteroids, 301*
—— determination of free plasma 17-hydroxy & 17-desoxy corticosteroids & their gluc.-acid conjugates, 970*
—— dialysis; recovery of aldosterone, cortisone & hydrocortisone foll'g, 1310*
—— dispersal of steroids in aq. media by sonic vibrations, 896†
—— effect of temp. on hydrolysis of 17-KS conjugates in urine, 653*
—— fluorescence, vulvar; principles of identification & measurement, 784*
—— for adrenocortical steroids in peripheral blood of man, 1524*
—— for assay of aldosterone, 888†
—— for assessment of adrenocort. function, 1035*
—— for conjugates of C-21 steroids in human plasma, 855†

METHODS (*cont.*)
—— for demonstrating growth hormone activity in human plasma, 537*
—— for estimation of ur. formaldehydogenic lipids, free from formaldehyde retention, 765*
—— for extraction of glucagon from pancreas, 1089*
—— for identifying thyroxine-binding globulin in protein mixtures, 863†
—— for 17-KS in human plasma, 693*, 702*
—— for 17-OH-CS of plasma; clin. application of simplified Silber-Porter method, 1073*
—— for PBI, by alk. incineration & production of stable cerate color, 354*
—— for quant. assay of 11-β-hydroxylase activity in adrenal homogenates, 892†
—— for total 17-OH-CS of plasma, 891†
—— fractionation of relaxin, 848†
—— microchemical estimation of aldosterone in urine, 886†
—— PBI determination; diagnostic accuracy of, 1379*
—— Porter-Silber reaction; atypical, after admin. of sulfamerazine, 1152*
—— question of destruction of 17,21,OH-CS by phosgene, during analysis, 377*
—— sources of error in clinical bioassays of serum chor. gonadotropin, 424*
—— specificity of reaction of phenylhydrazine with 17,21-dihydroxy-20-ketosteroids, 505*
—— staining of human pituitary sections for basophils, 685*
—— steroids: chromogenic spectra of, in 100 per cent phosphoric acid, 889†
—— stored urines; determination of estrogens in, 210*
—— stored urines; determination of pregnanediol in, 36*
MONO-IODOTYROSINE: *see* Thyroid preps. & comps.
MORPHINE
—— and serum corticoid levels, 890†, 894†
—— morphine-type drugs and ether; effect on neurohypophyseal-ADH-renal system, 265*
MUCOPOLYSACCHARIDES: *see* Carbohydrate metabolism
MUSCLE
—— dystrophia myotonica; endocrine studies in (histologic & chemical), 801*
—— individual muscles of g. pig; effect of castration & various steroids on, 849†
—— levator ani of rats; comparison of effects of testosterone & 19-nortestosterone on weight of, 848†, 848†
MUSCLE (*cont.*)
—— muscular dystrophy; PBI foll'g admin. of thyroxine in, 1116*
—— myopathy, thyrotoxic, plus myasthenia gravis; effect of I^{131}, 476*
—— myxomatous changes in advanced myxedema, 44*
MYOTONIC DYSTROPHY: *see* Muscle
MYXEDEMA: *see* Thyroid disorders, hypothyroidism

NAILS: nails, growth of, used in measurement of growth & replacement of cells in man, 844†
NEONATAL: *see* Infants
NEOPLASMS: *see* Cancer; Tumors; and under specific organ involved
NEPHROPATHY: *see* Kidney
NERVOUS SYSTEM: *see also* Brain; Mental
—— autonomic; vasomotor flushes & sweats of climacteric; control by ergot alkaloids sublingually, 487*
—— epilepsy; effect of epinephrine on plasma lipids in, 818*
—— neural tissue of rat hypophysis; role in release of ACTH, 840†
—— spastic paraplegia in a case of familial Addison's dis., 739*
—— stress: *see* Stress
—— tetany: *see* Parathyroids
NEW YORK ACADEMY OF MEDICINE, Graduate Fortnight, 1042
NITROGEN: *see also* Protein
—— amino nitrogen levels; influence of diet on, 481*
—— and creatine excretion in study of thyroid-adrenocort. interrels., 227*
—— and 17-OH-CS excretion during stressful life experiences, 1057*
—— creatine-creatinine excretion & thyroid histology in cold-exposed rats, 864†
—— metabolism (total, urea & creatinine); effect of progesterone on, 1194*
—— urea; dec'd blood levels of, foll'g resection of adrenal tumor in Cushing's syndrome, 156*
NORTESTOSTERONE: *see* Androgens
NOTICES: *see* Announcements
NUCLEIC-ACID synthesis in mouse mammary cancer; effect of sex steroids on, 882†
NUTRITION: *see* Diet; Growth; Vitamins

OBESITY: *see* Fat; and associated with various endocrine disorders
OBITUARY: E. Kost Shelton, 832
OSTEOMALACIA: *see* Bone
OSTEOPOROSIS: *see* Bone

OUABAIN: *see* Heart
OVARY: *see also* Breast; Estrogens; Gonadotropins; Hermaphrodism; Menstruation; Pregnancy; Progesterone; Uterus
—— amenorrhea: *see also* Menstruation; Pregnancy
—— castrates; effect of 17α-hydroxyprogesterone-caproate in; comparison with pure progesterone, 923*
—— climacteric: *see also* Menstruation
—— eunuchoid female; ovarian agenesis with androgenic phenomena, 877†
—— eunuchoidism; familial, hypogonadotropic, 931*
—— eunuchoidism with no urinary FSH in the female; a pituitary syndrome, 846†
—— female type of precocious puberty, 1518*
—— hyperplasia of lutein cells of, associated with virilization during pregnancy, 1281*
—— in acyclic menstrual bleeding associated with erythrocytosis, 199*
—— infertility; evaluation of types of progesterone admin. in, 881†, 881†
—— menopause: *see also* Menstruation
—— menstrual disorders: *see* Menstruation
—— morphogenic capacities of the estrogens, 647*
—— normal *vs.* intrasplenically grafted ovary, in response to FSH and estrogen, 874†
—— ovarian agenesis; chromosomal sex in, 1*, 845†, 877†, 1161*
—— ovarian function in postmenopausal women; effect of FSH on, 846†
—— ovarian hormone levels in relation to fluorescent material, 775*, 784*
—— ovarian tumors with virilism, 142*
—— ovarian-weight test (rat); sources of error in clinical bioassays of serum C.G., 424*
—— preparations of: *see* Estrogens; Progesterone; Relaxin
—— pseudohermaphrodism: *see also* Hermaphrodism
—— relaxin: *see* Relaxin
—— therapy of ovarian disorders: *see also* Estrogens; Gonadotropins; Progesterone
—— virilization; ovarian *vs.* adrenal; current therapy of, 373*
OXYGEN
—— cellular O_2 consumption measured simult'y with iodide conc'g capacity in thyroid slices, 442*
—— tissue respiration: *see also* Metabolism; Tissues
OXYGEN (*cont.*)
—— use of, in extraperitoneal pneumography to detect adrenal tumor, 1144*
—— utilization: *see also* Basal metabolism

PANCREAS: *see also* Carbohydrate metabolism; Diabetes; Insulin
—— human; extractable glucagon of, 1089*
—— pancreatic alpha cells; effect of prolonged admin. of GH on, in hypoph'd rats, 898†
—— recent advances in knowledge of hypoglycemia, 826*
—— weight and extractable insulin of, in adult nondiabetic man, 435*
PARATHYROIDS: *see also* Calcium; Phosphorus
—— disorders; phosphate clearance in, 869†
—— hyperparathyroidism, maternal, as cause of neonatal tetany, 680*
—— hyperparathyroidism *vs.* osteomalacia, 870†
—— pseudo-pseudohypoparathyroidism, 576*, 964*
PEDIATRIC Endocrinology; Harvard Medical School course in, 390
PENIS: *see* Androgens; Gonadotropins; Hermaphrodism; Testis
—— phallic enlargement with gonadal agenesis, 1*, 877†, 1161*
PEPTIC ULCER: *see* Gastro-Intestinal Tract
PENTOBARBITAL; effect on pituitary-adrenal function, 894†
PERITONEAL FLUID; influence of GH & cortisol on mast cells of, 873†
PERMISSIVE role of ad. cortex in development of peptic ulcer in Addison's dis. during cortisone therapy, 1300*
PHENYLHYDRAZINE; specificity of reaction of, with 17,21-dihydroxy-20-ketosteroids, 505*
PHOSGENE; question of destruction of 17,21,OH-CS by, during analysis, 377*
PHOSPHATASE: *see* Enzymes
PHOSPHORUS: *see also* Bone; Parathyroids
—— hypophosphatemic rickets, with slight acidosis, 869†
—— in pseudo-pseudohypoparathyroidism, 576*, 964*
—— inorganic, in serum & urine; acute effects of i.v. hydrocortisone on, 1247*
—— metabolism; effect of progesterone on, 1194*
—— of serum in juvenile hyperparathyroidism with fracture & peptic ulcer, 1141*
—— oxidative phosphorylation; inhibi-

PHOSPHORUS (*cont.*)
tors of; effect on iodide transport in thyroid slices, 598*
—— phosphate clearance in parathyroid disorders, 869†
—— phospholipids: *see* Lipids
PIGMENT: *see also* Addison's disease
—— melanocyte-stimulating hormone: excretion of, in pregnancy; test criteria, 762*
PITRESSIN: *see* Pituitary, preps. & comps.
PITUITARY: *see also* Gonadotropins
DISORDERS
—— acromegaly and gigantism; growth hormone-like activity in plasma, 537*
—— acromegaly and gigantism with diabetes; renal, metabolic & autopsy studies, 872†
—— Cushing's syndrome: *see* Cushing's syndrome
—— diabetes insipidus, hereditary; 20 cases in 7 generations, 547*
—— diabetes insipidus in rats; water & electrolyte excretion in, 870†
—— eunuchoidism with no FSH in the female, 846†
—— hypogonadotropic eunuchoidism, familial, 931*
—— hypopituitarism; effect of TSH on thyroid & adrenocort. function in, 585*
—— hypopituitarism; plasma 17-OH-CS in, 1073*
—— pituitary dwarfism & toxoplasmosis, 745*
—— pituitary insufficiency plus myxedema; clinical & autopsy findings, 492*
—— pituitary myxedema; effect of hormones on body fluids, electrolytes & mucopolysaccharides in, 1131*
GONADOTROPINS: *see* Gonadotropins
HORMONES: *see* Gonadotropins; and Pituitary preps. & comps.
PHYSIOLOGY & PATHOLOGY
—— and CNS of rabbit; metab. of triiodothyronine & thyroxine in, 836†
—— cells of, related to FSH, LH and TSH, 871†
—— histopathology of, in advanced case of myxedema at autopsy, 44*
—— histopathology of, in pituitary myxedema, 492*
—— histopathology of, in thyroid disease, 1393*
——human pituitary body, histochemistry of; differentiation between

PITUITARY (*cont.*)
PHYSIOLOGY & PATHOLOGY (*cont.*)
basophils of ant. and post. lobes, 685*
—— hypophysectomized dogs; secretion of aldosterone by, 852†
—— hypophysectomy; effect on glucose-6-phosphatase activity in rat liver, 897†
—— hypophysectomy; effect on malig. edematous exophthalmos, 1239*
—— hypophysectomy; experiences in severe diabetes m., 391*
—— hypophysectomy in man; effect on water excretion, 553*, 842†
—— hypophysectomy in man; thyroid function foll'g, 1228*
—— hypophysectomy in severe juvenile diabetes, 359†
—— hypophysectomy, partial; effect on adrenocort., thyroidal & gonadal function in the dog, 843†
—— neural tissue of rat hypophysis; role in release of ACTH, 840†
—— neurohypophyseal-ADH-renal system in clinical medicine, 265*, 276*
—— pituitary-adrenal function; effect of pre-anesthetic medications on, 894†
—— roentgen-irradiation of; effect in Cushing's syndrome without adrenocort. tumor, 884†
—— surgery; prophylactic use of cortisone in, 857†
—— tumors induced by thyroidectomy in mice; mechanism & characteristics, 81*
PREPARATIONS & COMPOUNDS
—— ACTH: *see* separate category
—— ADH content of hypothalamus of hypoph'd rats, 873†
—— ADH in hypoph'd patients, 553*
—— ADH in treatment of diabetes insipidus (hereditary), 547*
—— ADH-neurohypophyseal-renal system in clinical medicine, 265*, 276*
—— ADH secretion; cortisone inhibition of, 871†
—— FSH: *see* Gonadotropins
—— gonadotropic hormone: *see* Gonadotropins
—— growth hormone: *see* separate category
—— ICSH, urinary, in normal & abnormal menstrual function, 845†
—— intermedin; effect of alkali on, 842†
—— melanocyte-stimulating hormone excretion in pregancy; test criteria, 762*

PITUITARY (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
—— Pitressin and blood ACTH in adrenalect'd rats, 840†
—— TSH (thyroid-stimulating hormone): *see* separate category
Adrenocorticotropic Hormone (*ACTH*): *see also* Adrenal physiology
—— acid-hydrolyzable corticoids of serum foll'g admin, of, 215*
—— activity; inhibition of, in rat, after admin. of halogenated steroids, 849†
—— adrenal-pituitary & sympathico-adrenal systems studied by, 885†
—— and hydrocortisone; inhibitory action of, on estradiol-induced uterine growth, 895†
—— and TSH secretion; separate hypothalamic centers for control of, 839†
—— effect on changes in water excretion after hypophy'y, 553*
—— effect on glucose tolerance before & after operation in Cushing's dis., 1144*
—— effect on 17–OH-CS excretion in children with rheum. fever, 523*
—— effect on 17-OH-CS in Addison's dis., 858†
—— effect on plasma adrenocorticoids, 1043*
—— effect on plasma 17-OH-CS in adrenocort. dis. & pregnancy, 855†
—— effect on serum corticoids in liver dis., 943*
—— effect on thyroid-adrenocort. interrels. in various thyroid states, 227*
—— hazard of, in hypercholesteremia, 882†
—— injected i.v., with fructose; effect on blood glucose in normal & diabetic subjects, 1475*
—— i.v. admin. of; anaphylactic reaction to, after adrenalectomy for Cushing's syn.; immunologic studies, 362*
—— i.v. admin. of; plasma 17-OH-CS during, in various clin. conditions, 13*
—— ketogenic factor; metabolic actions of, in the rat, 872†
—— kinetics of adrenocort. response to, 856†
—— of blood (editorial), 754*
—— of blood foll'g hypothalamic lesions in traumatized dogs, 839†
—— of blood under various exper. conditions (cross-circ. technique), 841†
—— release of; role of neurohypophysis, in the rat, 840†
—— secretion; effects of metacortandracin, fluorohydrocortisone & cortisone on, in man, 850†
—— secretion in man; comparative effects of metacortandracin, hydrocortisones & cortisone on (17-KS), 911*
—— stimulation of rat adrenals by; importance of glucose in, 893†
—— successive i.v. injections of, in healthy subjects; psychologic & biochem. relationships, 892†
—— suppressing effect of corticosteroids on, 890†
—— therapy in man with rheum. fever; isol. of comps. A & B and tetrahydro S from urine, 760*
Growth Hormone (*GH*): *see also* Growth
—— activity; method for demonstrating, in human plasma, 537*
—— and cortisol; influence of, on blood formation in hypoph'd rat, 841†
—— and cortisone &triiodothyronine; interactions of, in exper. diabetes, 860†
—— and cortisone; effect on CH metab. in hypoph'd monkey, 844†
—— effect on mast cells of hypoph'd rats, 873†
—— effect on metab. of urea & glucose, and renal function, in dogs, 843†
—— growth-hormone diabetes in hypoph'd dogs; inhib'n of, by adrenocort. hormones, 897†
—— prolonged admin. of; effect on pancreatic alpha cells in hypoph'd rats, 898†
Thyroid-Stimulating Hormone (*TSH*): *see also* Thyroid disorders, and physiology
—— assay in the chick; comparison of iodine depletion methods for, 838†
—— cells of hypophysis (?source of TSH) in thyroid disease, 1393*
—— TSH (?) cells of pituitary, in case of malig, edematous exophthalmos, 1239*
—— continuous infusion of, in g. pigs, 863†
—— effect of, during NaI remission in hyperthyroidism, 715*

PITUITARY (*cont.*)
Thyroid-Stimulating Hormone (cont.)
—— effect on adrenocort. & thyroidal function, 585*
—— effect on body fluids, electrolytes & mucopolysaccharides in myxedema, 1131*
—— effect on thyroid secretion in hyperthyroidism, 864†
—— effects; relationship between, re thyroidal iodide uptake & hormone release, 865†
—— levels in serum in hypothyroidism, 834†
—— placental transfer of, in the rat, 837†
—— response to, in I^{131}-treated thyroid gland, 811*
——thyrotropes in thyroidectomy-induced pituitary tumors of mice, 81*
—— TSH, FSH and LH, glycoprotein hormones; localization of, 871†
—— "TSH hypophysectomy" by triiodothyronine, 98*
—— value of, in differentiating primary from secondary myxedema, 868†
PLACENTA: *see* Pregnancy
—— chorionic gonadotropin: *see* Gonadotropins
PNEUMOGRAPHY, extraperitoneal; detection of adrenal tumor by, 1144*
POLYURIA: *see* Kidney; Pituitary preps. & comps., ADH; Water
PORTER-SILBER reaction: *see* Methods
POSTGRADUATE ASSEMBLY in Endocrinology and Metabolism: *see* Endocrine Society
POTASSIUM: *see also* Electrolytes
—— and 17-OH-CS excretion during stressful life experiences, 1057*
—— effect of i.v. hydrocortisone on, 176*
—— metabolism, after bilat. adrenalectomy in man, 409*
—— metabolism; effect of progesterone on, 1194*
—— potassium-losing nephritis; aldosterone as a factor, 621*
PREDNISONE: *see* Adrenal preps. & comps.
PREGNANCY: *see also* Estrogens; Gonadotropins; Menstruation; Ovary; Progesterone
—— and postpartum period; 17,21-dihydroxy-20-ketosteroids of plasma in, 317*
—— accumulation of I^{131} in fetal thyroid, 661*
—— chorionic gonadotropin in: *see also* Gonadotropins
PREGNANCY (*cont.*)
—— chorionic gonadotropin of serum; sources of error in clinical bioassays, 424*
—— development of virilization during, 1281*
—— disturbances of; CG titers in, by male-toad tests, 845†
—— excretion of melanocyte-stim'g hormone in; test criteria, 762*
—— following removal of masculinizing adrenocort. tumor, 154*
—— lactation: *see also* Breast
—— maternal hyperparathyroidism as cause of neonatal tetany, 680*
—— 17-OH-CS of plasma in, 1073*
—— PBI following admin. of thyroxine in, 1116*
—— placental transfer of TSH, in the rat, 837†
—— pregnanediol in: *see also* Pregnanediol
—— pregnant rats, plasma from; effect on red cell vol. of hypoph'd rats, 841†
—— relaxin in blood & other tissues during, 22*
—— relaxin (depot); effect on pubic ligament growth in mice, 847†
—— relaxin in treatment of threatened premature labor, 206*
—— respiration of slices of mammary gland from pregnant g. pigs. 880†
—— response of plasma 17-OH-CS to ACTH in, 855†
—— stored urines of; determination of pregnanediol & estrogens in, 36*, 210*
—— urine; estrogen extracts from; nonspecific fluorescent materail in, 775*
—— vulvar fluorescence in, 784*
PREGNANE-3α,17α,21-TRIOL-20-ONE: *see* Adrenal preps. & comps.
PREGNANEDIOL: *see also* Progesterone; Pregnancy
—— allergenic properties of, 877†
—— determination of, in stored urine specimens, 36*
—— excretion; effect of progesterone on, 1194*
—— excretion in differential diagnosis of virilism, 142*
PROGESTERONE: *see also* Estrogens; Menstruation; Pregnancy; Steroids
—— effect of, on induction of Leydig-cell tumors with estrogen in Strain A mice, 875†
—— evaluation of types of admin. of, in infertility, 881†, 881†
—— 17-α-hydroxyprogesterone-caproate; new substance with prolonged progestational activity; comparison with

PROGESTERONE (*cont.*)
pure progesterone, 923*
—— i.v.; effect on cytology & histology of human cervical Ca., 151*
—— metabolic effects of, in man, 1194*
—— pregnanediol: *see* Pregnanediol.
PROGRAMS: *see* Endocrine Society; Am. Goiter A.; Laurentian Hormone Conf.
PROLACTIN: *see* Gonadotropins
PROPYLTHIOURACIL: *see* Thiouracil
PROSTATE: *see also* Androgens; Gonadotropins; Testis
—— prostatic abnormalities in patients over 45; effect of testosterone propionate on; incidence of Ca, 297*
—— ventral prostate method; eval. of, for measurement of LH, 847†
PROTEIN: *see also* Nitrogen; Lipids & Lipoproteins
—— binding and iodide conc'g capacities of normal & hyperfunctioning thyroid gland; simult. measurement of, 238*
—— binding, in study of new serum I component in functioning Ca. of thyroid, 1315*
—— binding rate, thyroidal; in normal *vs.* hyperthyroid subjects, influence of single large doses of propylthiouracil on, 331*
—— bound iodine (PBI) of serum: *see* Iodine
—— dietary intake of; influence on amino nitrogen levels, 481*
—— role in the transport of iodinated substances of the blood, 724*
—— serum albumin; correlation with SPI, 953*
PSEUDOHERMAPHRODISM: *see* Hermaphroditism: Ovary; Testis
PSEUDO-PSEUDOHYPOPARATHYROIDISM: *see* Parathyroids
PSYCHOLOGIC reactions: *see* Brain; Mental; Nervous system
PUBERTY: *see also* Ovary; Testis
—— ectopic testes during; hisologic study, 875†
—— precocious, of the female type, 1518*
—— precocious: *see also* Adrenal disorders

RADIATION: *see* Radioactive; Roentgen
RADIOACTIVE
——4-C^{14}-hydrocortisone; biliary excretion of C^{14} in rats, 888†
—— 4-C^{14}-hydrocortisone in study of 17-OH-CS in dying patients, 893†
—— C^{14}-labeled glucose; incorp. into fatty acids & CO_2, 861†
RADIOACTIVE (*cont.*)
—— C^{14}-labeled glucose; metab. of, in normal & diabetic subjects, 860†
—— cortisol; metabolites of, foll'g perfusion through rat liver, 883†
—— estradiol; metabolism of, in men, 880†
—— hydrocortisone & cortisone; distrib. of, in human subjects, 851†
—— I^{131}: *see* Iodine, radioactive
—— I^{131}-labeled insulin; distrib. and degrad. of, 861†
—— sodium, in study of water & salt metab. after bilat. adrenalectomy in man, 409*
—— vitamin B_{12}; effects of cortisone & insulin on excretion of, in rats, 858†
RADIOIODINE: *see* Iodine, radioactive
REACTIONS: *see also* Allergy; Toxicity
—— anaphylactic, to i.v. ACTH in Cushing's syn. after adrenalectomy; immunologic studies, 362*
—— biologic & chemical: *see* Methods; Tests
RECIPIENTS OF AWARDS: *see* Endocrine Society; Am. Goiter A.
RELAXIN
—— depot relaxin; effect on pubic ligament growth in mice, 847†
—— fractionation of, by chromatography & counter-curr. distrib., 848†
—— in blood & other tissues of pregnant women, 22*
—— in treatment of threatened premature labor, 206*
RENAL: *see* Kidney; Urine
REPRODUCTION: *see* MENSTRUATION; Ovary; Pregnancy; Testis
RESERPINE, alone and in combination with estrogen and/or testosterone in the climacteric, 874†
RESPIRATION: *see* Metabolism; Oxygen; Tissues
REVIEW (Aldosterone), 621*
RHEUMATIC FEVER
—— acid-hydrolyzable corticoids of serum in, 215*
—— in man treated with ACTH; isolation of compounds A, B & tetrahydro S from urine, 760*
—— 17-OH-CS excretion in; effect of ACTH, cortisone & salicylate on, 523*
RHEUMATOID ARTHRITIS: *see* Arthritis
RICE regimen (iodine-restricted diet): *see* Diet
RICKETS: *see* Bone
RIEDEL'S STRUMA: *see* Thyroid disorders
ROENTGEN RAY
—— irradiation; effect on response of

ROENTGEN RAY (*cont.*)
access. sex organs to androgens, in the rat, 877†
—— irradiation of pituitary in Cushing's syndrome without adrenocort. tumor, 884†
—— therapy of thyroid disease: *see* Thyroid disorders

SALICYLATES; effect on 17-OH-CS excretion in children with rheumatic fever, 523*
SALIVARY and gastric secretion of I^{131} in the rat, 862†
SALT: *see* Electrolytes; Sodium
SCARS: *see* Skin
SCHERING SCHOLAR: *see* Endocrine Society, awards
SCHIZOPHRENIA: *see* Mental
SCHOLARS OF THE ENCODRINE SOCIETY: *see* Endocrine Society, awards
SEX: *see also* Androgens; Estrogens; Gonadotropins; Hermaphrodism; Ovary; Testis
—— chromosomal, in gonadal dysgenesis; theories of human sex differentiation, 1*, 845†, 1161*
—— chromosomal, of eunuchoid female, 877†
—— differentiation; morphogenic capacities of the estrogens, 647*
—— in relation to weight of the thyroid & incidence of nodules, 1270*
—— males *vs.* females (adult nondiabetic); weight & extractable insulin of pancreas in, 435*
—— males *vs.* females; extractable glucagon of pancreas in, 1089*
—— males *vs.* females; levels of plasma 17-KS in, 702*
SHELTON, E. KOST, obituary, 832
SILBER-PORTER reaction: *see* Methods
SKIN
—— acne, marked, in association with virilization during pregnancy, 1281*
—— changes in, in myxedema, 44*, 459*
—— chromosomal sex determined in, 1*, 845†, 877†, 1161*
—— keloids and scars; effect of topical hydrocortisone on, 888†
—— pigmentation: *see* Addison's disease; Pigment
SMEARS, vaginal: *see* Estrogens; Menstruation; Ovary; Uterus & Vagina
SODIUM: *see also* Electrolytes
—— aldosterone or electrocortin (sodium-retaining substance): *see* Adrenal preps. & comps.
—— and K measurements, exchangeable, in hyper- & hypoadrenocorticism, 854†
SODIUM (*cont.*)
—— and 17-OH-CS excretion during stressful life experiences, 1057*
—— metabolism; effect of progesterone on, 1194*
—— renal excretion of, in Addison's dis.; changes in, independent of change in hormone dosage, 1459*
—— salt metabolism; alterations in, after bilat. adrenalectomy in man, studied with radioactive Na, 409*
—— sodium chloride intake; effect on fluid retention in rats on low-sodium diet, 873†
—— sodium *l*-thyroxine: *see* Thyroid preps. & comps.
—— sodium-retaining activity of adrenal extracts, 621*
—— sodium-retaining corticoid; electrolyte balance studies, 853†
SONIC vibrations; effects on dispersion of steroids, 896†
SOUTH AMERICA
—— goiter in Peru, Chile & Argentina, 863†
—— goiter in Venezuela; uptake & excretion of I^{131} in, 838†
SPASTIC PARAPLEGIA: *see* Nervous system
SPECIES variations in response of serum lipoproteins to cortisone, 857†
SPERMATOZOA: *see* Testis
STERILITY: *see* Menstruation; Ovary; Pregnancy; Testis
STEROIDS
—— aldosterone: *see* Adrenal preps. & comps.
—— androgens: *see also* Androgens
—— assessment of methods for adrenocortical steroids in blood and urine, 1035*, 1524*
—— C-21 steroids: *see* Adrenal preps. & comps.
—— corticoids, corticosteroids: *see also* Adrenal preps. & comps.
—— cortisone: *see* Adrenal preps. & comps.
—— determination of: *see also* Methods
—— 17-21-dihydroxy-20-ketosteroids: *see* Adrenal preps. & comps.
—— effects of sonic vibrations on dispersion of, 896†
—— estrogens: *see* Estrogens
—— fluorescent, of blood, in various endocrinopathies, 1043*
—— halogenated: *see* Adrenal preps. & comps.
—— progesterone: *see* Progesterone
—— steroidal substances in human adrenal vein blood & adrenal glands, 324*
—— unusual steroid pattern, 1531*

STEROIDS (*cont.*)
—— urinary, in Cushing's syn.; pre- and postop., 156*
17-KETOSTEROIDS
—— and serum and urinary corticoids in renal disease, 1073*
—— conjugates of, in urine; effect of temp. on hydrolysis, 653*
—— effect of ascorbic acid on, 1257*
—— effect of corticoids on, in adrenocort. hyperplasia, 911*, 1291,*
—— excretion; effect of progesterone on, 1194*
—— excretion, in familial hypogonadal eunuchoidism, 931*
—— excretion in familial male gynecomastia, 182*
—— excretion in gonadal dysgenesis, 1*, 877†, 1161*
—— excretion in virilization during pregnancy, 1281*
—— in differential diagnosis of virilism, 142*
—— in human plasma, 693*, 702*
—— in study of thyroid-adrenocort. interrels., 227*, 1499*
—— Zimmermann chromogens by Girard fract'n *vs.* Allen's method of correction, 767*
STRESS: *see also* Surgery; Temperature
—— ACTH of blood during, 754*
—— adrenocortical and psychologic response to, in man, 887†
—— dying patients; defect in metabolism of 17-OH-CS in, 893†
—— effect on acid-hydrolyzable corticoids of serum, 215*
—— effect on neurohypophyseal-ADH-renal system, 265*
—— effect on ur. corticosteroids measured by counter-curr. distrib., 301*
—— exercise, severe; 17-OH-CS in sweat; effect of hydrocortisone, 829*
—— from surgery or serious illness; effect on circ'g thyroid hormone, 953*
—— inflammation; corticoids & folliculoids in the regulation of, 893†
—— preoperative period; adrenocort. activity during, 1069*
—— psychomotor; effect on adrenal-pituitary & sympath.-adrenal systems, 885†
—— stressful life experiences; diuresis, 17-OH-CS, N & electrolyte excretion during, 1057*
—— surgical; effect on serum corticoids in liver dis., 943*
STRUMA: *see* Thyroid disease
SUBJECT INDEX to Volume 15, 1553
SUGAR: *see* Carbohydrate metabolism; Diabetes; Insulin; Pancreas
SULFAMERAZINE: atypical Porter-Silber reaction after admin, of, 1152*
SULFUR: *see also* Mercapto comps.; Thio comps.
—— sulfhydryl groups; cysteine; effects on thyroid-slice uptake of iodide, 131*
—— sulfhydryl inhibitors; effect on iodide transport in thyroid slices, 598*
SUPRARENAL: *see* Adrenal
SURGERY: *see also* Stress; and under various endocrine disorders, treatment
—— amount of tissue to be preserved at subtot. thyroidectomy, 1409*
—— bilat. adrenalectomy in man; water & salt metab. after, 409*
—— conservative operations for malig. tumors of the thyroid, 1422*
—— hypophysectomy in man, 391*, 553*, 842†, 859†, 1228*, 1239*
—— in childhood carcinoma, 1437*
—— of pituitary; prophylactic use of cortisone in, 857†
—— preoperative period; adrenocortical activity in, 1069*
—— radical neck dissection for Ca. of the thyroid; path. evaluation of, 1432*
—— surgical stress; effect on circ'g thyroid hormone, 953*
SWEAT; 17-OH-CS in, during severe exercise; effect of hydrocortisone, 829*
SYNDROMES
—— Achard-Thiers, due to bilat. adrenocort. hyperplasia, 896†
—— adrenogenital: *see* Adrenal disorders
—— Cushing's: *see* Cushing's syndrome
—— gonadal dysgenesis, 1*, 1161*
—— menopausal: *see* Menstruation; Ovary
—— non-myxedematous hypometabolism; effect of triiodothyronine in, 1354*

TEACHING CLINICS: 142*, 265*, 362*, 492*, 1144*, 1300*, 1518*
TEMPERATURE
—— cold-exposed dogs; CS secretion in adrenal vein of, 889†
—— cold-exposed g. pigs; effect of hydrocortisone & ascorbic acid on adrenal function in, 884†
—— cold-exposed rats; creatine excretion & thyroid histology in, 864†
—— effect of, on hydrolysis of 17-KS conjugates in urine, 653*
—— extremes of; effect on iodide uptake of thyroid slices, 131*
—— hypothermia, endotoxin-induced, in mice; protection against, by corticoids, 887†

TEMPERATURE (*cont.*)
—— pyrogenic reaction; increase in plasma 17-OH-CS induced by; aminopyrine inhibition of, 859†
—— sweat; 17-OH-CS in, 829*
TESTIS: *see also* Androgens; Gonadotropins; Hermaphrodism; Prostate; Steroids
—— biopsy; in dystrophia myotonica, 801*
—— castration and various steroids; effect on individual muscles of g. pig, 849†
—— disorders secondary to hypopituitarism: *see* Pituitary disorders
—— ectopic, during puberty; histologic study, 875†
—— eunuchoidism; familial hypogonadotropic, 931†
—— hypogonadism and familial male gynecomastia, 182*
—— hypogonadism in pituitary dwarfism with toxoplasmosis, 745*
—— hypogonadism in pituitary myxedema (autopsy); treatment with methyl testosterone, 492*
—— male chromosomal sex pattern in gonadal dysgenesis, 1*, 845†, 877†, 1161*
—— male pseudohermaphrodism, 1161*
—— men; metabolism of radioactive estradiol in, 880†
—— precocious puberty: *see* Puberty
—— pseudohermaphrodism: *see aslo* Hermaphrodism
—— preparations & compounds: *see also* Androgens; Steroids
—— semen; mitotic activity in; effect of x-irrad. on response to androgen, 877†
—— sex differentiation; morphogenic capacities of the estrogens, 647*
—— stimulation of, by gonadotropins: *see also* Gonadotropins
TESTS: *see also* Methods
—— criteria for melanocyte-stimulating hormone pregnancy tests in frog, 762*
—— for pregnancy, *see* Pregnancy
—— for thyroid function: *see also* Thyroid; Iodine, radioactive
—— insulin tolerance: *see* Insulin
—— sugar tolerance: *see* Carbohydrate metabolism
—— weaver-finch, for luteinizing gonadotropins, 880†
TESTOSTERONE and compounds: *see* Androgens; Steroids
TETANY: *see* Calcium; Parathyroids
TETRAHYDRO COMPOUND S: *see* Adrenal preps. & comps.
THIOCYANATE: *see* Thiouracil
THIOURACIL & THIO COMPOUNDS: *see also* Antithyroid drugs; Cyanate; Mercapto comps.; Iodine; Thyroid
—— propylthiouracil, single doses of; influence on kinetics of I accum. in normal & hyperthyroid subjects, 331*
—— thiocyanate; effect on thyroidal retention of accum'd iodide, 1216*
THYMUS therapy in malig. edematous exophthalmos, 1239*
THYROGLOBULIN: *see* Thyroid preps. & comps.
THYROID: *see also* Antithyroid drugs; Iodine
DISORDERS
—— cancer; histology of hypophysis in, 1393*
—— cancer, I^{131}-treated; serum triiodothyronine in, 1367*
—— cancer; iodinated comps. in serum after treatment with I^{131}, 118*
—— cancer; study & treatment of, with radioiodine: *see also* Iodine, radioactive
—— cancer; thyroid-adrenocort. interrels. in, 227*
—— carcinoma; compound (X) & substance (Z) in CSF in, 1482*
—— carcinoma, functional; new serum I component in, 1315*
—— carcinoma in childhood; path. considerations & their therapeutic implications, 1437*
—— carcinoma; path. evaluation of radical neck dissect. for, 1432*
—— carcinoma; scintiscanning in detection of, in nodular goiters, 865†
—— clinical appraisal of I^{131} tests for thyroid function in, 838†
—— endemic goiter in Venezuela, 838†
—— goiter and dystrophia myotonica, 801*
—— goiter in Peru, Chile & Argentina, 863†
—— lymphoma, malignant; relation to Hashimoto disease, 1332*
—— malignant tumors; results of conservative operations for, 1422*
—— nodules, in clinically normal thyroid glands; rel. to geog. residence, 1270*
—— nodules, solitary; avidity of, for I^{131}; therapeutic implications, 835†
—— thyroiditis (chronic) & Riedel's struma; etiol. & pathogen., 1010*
—— thyroiditis, subacute; a defect of thyroidal storage in, 837†
Hyperthyroidism (exophthalmic goiter, Graves' disease, thyrotoxicosis, toxic adenoma)
—— adrenocortical function in, 1499*

THYROID (*cont.*)
DISORDERS (*cont.*)
Hyperthyroidism (*cont.*)
—— antithyroid drugs in treatment of: *see also* Antithyroid drugs; Mercapto comps., Thiouracil
—— basal metabolism studies in: *see also* Basal metabolism
—— comparison of thyroidal plasma I^{131} clearance & PBI^{131} tests for, 995*
—— diagnostic accuracy of PBI in, 1379*
—— exophthalmos: *see also* Eyes
—— fate of I^{131} in, during methimazole therapy, 54*
—— histology of hypophysis in, 1393*
—— in pregnant woman; accum. of I^{131} in thyroid of fetus, 661*
—— iodinated comp. in serum after treatment with I^{131}, 118*
—— iodinated constituents of the thyroid gland in, 732*
—— iodine in treatment of: *see* Iodine
—— iodine metab. of cerebrospinal fluid in, 1482*
—— is not hyperpituitarism; effects of TSH, triiodothyronine & NaI, 715*
—— kinetics of I accum. by thyroid in; influence of single large doses of propylthiouracil, 331*
—— mercapto compounds in treatment of: *see* Mercapto comps.; Antithyroid drugs
—— nature & transport of iodinated substs. in blood in, 724*
—— pitfalls in diagnostic use of I^{131} in, 866†
—— prediction of success with I^{131} therapy in, 834†
—— primary hyperplastic goiter, hyperfunctioning parenchyma of; role in chronic thyroiditis & Riedel's struma, 1010*
—— protein-bound iodine of serum in: *see* Iodine
—— radioactive iodine in study & treatment of: *see* Iodine, radioactive
—— rate of hormone synthesis in, studied by simult. measurement of iodide-conc'g & protein-binding capacities, 238*
—— subtotal thyroidectomy; amount of tissue to be preserved, 1409*
—— thiouracil therapy: *see* Thiouracil; Antithyroid drugs
—— thyroid-adrenocort. interrels. during, 227*
—— thyroid secretion in; effect of iodide & TSH on, 864†
—— thyroid-stimulating or thyrotropic hormone (TSH) in: *see also* Pituitary preps. & comps.
—— thyroidal uptake of I^{131} in: *see* Iodine, radioactive
—— thyrotoxic myopathy plus myasthenia gravis; effect of I^{131}, 476*
—— toxic adenomatous goiter treated by large doses of I^{131}, 1512*
—— treated by I^{131}; response of thyroid gland to TSH in, 811*
—— treated by I^{131}; triiodothyronine in serum, 1367*
—— with malignant edematous exophthalmos; effect of hypop'y on, 1239*
Hypothyroidism (*cretinism, myxedema*)
—— adrenocortical function in, 1499*
—— and cretinism; thyro-pit. relations in, 834†
—— basal metabolism: *see also* Basal Metabolism
—— conversion of thyroxine to triiodothyronine in, 616*
—— cretinism and juvenile myxedema; dysgenesis of the thyroid as a cause; I^{131} studies, 668*
—— cretinism, familial, athyreotic; PBI & I^{131} uptake; effect of thyroid therapy, 469*
—— diagnostic accuracy of PBI in, 1379*
—— effect of hormones on body fluids, electrolytes & mucopolysaccharides in, 1131*
—— effect of triiodothyroacetic acid in, 653*
—— effect of triiodothyronine in, 98*
—— effect of TSH on thyroid & adrenocort. function in, 585*
—— following antithyroid drugs: *see also* Antithyroid drugs
—— goitrous cretins; metab. of I in; comparison with that in patients rec'g methimazole, 54*
—— histology of hypophysis in, 1393*
—— hypothyroid rats; deiodination of thyroxine to triidothyronine in kidney slices of, 836†
—— in adult; advanced case, with autopsy study, 44*
—— iodine metab. of cerebrospinal fluid in, 1482*
—— maintained on desicc. thyroid; effect of cortisone on SPI in, 953*
—— myxedema foll'g I^{131} therapy;

THYROID (*cont.*)
DISORDERS (*cont.*)
Hyperthyroidism (*cont.*)
iodinated comps. of serum in, 118*
—— myxedema in children; histopath. exam. of skin in diagnosis of, 459*
—— myxedema, profound, foll'g hypophysectomy in man, 1228*
—— myxedema; renal clearance in, 343*
—— myxedema; tolerance for thyroid in, 568*
—— non-myxedematous hypometabolism; effects of triiodothyronine & thyroxine in, 1354*
—— 17-OH-CS, N and electrolyte excretion during stress in; effect of thyroid therapy, 1057*
—— oral triiodothyronine or thyroxine therapy in, 285*
—— PBI of serum in: *see* Iodine
—— pituitary myxedema; clinical & autopsy findings, 492*
—— primary *vs.* secondary myxedema; TSH in differentiation of, 868†
—— response to thyroid therapy; compar. with response in euthyroidism, 148*
—— thyroid-adrenocort. interrels. in, 227*
—— thyroidal uptake of I^{131} in: *see* Iodine, radioactive
—— treatment of, with thyroid compounds: *see also* Thyroid preps. & comps.
—— with goiter, congenital; mono- and di-iodotyrosine of blood in, 1216*
PHYSIOLOGY & PATHOLOGY
—— amount of tissue to be preserved at subtot. thyroidectomy; serial I^{131} study, 1409*
—— chronic thyroiditis & Riedel's struma; histo-path. study, 1010*
—— clinically normal glands; gross & microsc. findings in, 1270*
—— clinicopathologic studies: *see also* Thyroid disorders
—— development of, in chick embryo; synthesis of iodinated compounds, 107*
—— effect of continuous infusion of TSH on, 863†
—— function foll'g hypophysectomy in man, 391*, 1228*
—— function; studies of: *see also* Iodine, radioactive; Antithyroid drugs; Pituitary preps. & comps., TSH
THYROID (*cont.*)
PHYSIOLOGY & PATHOLOGY (*cont.*)
—— hormone: *see also* Thyroid preps. & comps.
—— human fetal thyroid; accum. of I^{131} by, 661*
—— metabolic dependencies of iodide transport studied in vitro, 442*
—— pathologic eval. of radical neck dissection for Ca. of thyroid, 1432*
—— PBI of serum: *see* Iodine
—— radioiodine in the study of: *see* Iodine, radioactive
—— results of conservative operations for malignant tumors of, 1422*
—— simult. measurement of iodide-conc'g & protein-binding capacities of normal & hyperfunctioning thyroid, 238*
—— slices; influence of various factors on uptake of iodide by, 131*
—— structure of, in malignant lymphoma; rel. to Hashimoto dis., 1332*
—— thyroid-adrenocort. metabolic interrels., 227*
—— thyroid-stimulating hormone (TSH): *see* Pituitary preps. & comps., TSH
—— thyroidal I^{131} clearance; diphasic character of, 347*
—— thyroidectomy-induced pituitary tumors in mice, 81*
—— uptake of I^{131} as modified by iodine-restricted diet, 592*
PREPARATIONS & COMPOUNDS
—— conversion of diiodotyrosine to thyroxine; effect of antithyroid subst. on, 867†
—— defect in conversion of iodide to hormone, in I^{131}-irrad. rat thyroid, 866†
—— deiodination of thyroxine to triiodothyronine by kidney slices, 836†
—— desicc. thyroid; clin. response to, compared in hypo- and euthyroidism, 148*
—— desicc. thyroid; effect on clin. condition, I^{131} uptake & PBI in familial athyreotic cretinism, 469*
—— desicc. thyroid; tolerance for, in myxedema, 568*
—— goiter, congenital, analyzed for iodinated compounds, 1216*
—— hormone, circ'g; effects of serious illness & surgical stress on, 953*
—— hormone formation; intrathyroidal mechanisms of, 331*
—— hormone; studies of, with radioiodine: *see also* Iodine, radioactive
—— hormone synthesis; diphasic char-

THYROID (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
acter of thyroidal I^{131} clearance, 347*
—— hormone synthesis; rate of, in Graves' disease, 238*
—— iodinated compounds; chronology of synthesis of, in chick embryo thyroid, 98*
—— iodinated constituents (thyroxine, diiodothyronine, and mono- & di-iodotyrosine) of the thyroid in ex. goiter, 724*
—— iodinated substances (thyroxine & triiodothyronine) in blood; nature & transport of, in hyperthyroidism, 724*
—— iodine compounds in CSF, studies by radiothyroxine, 1482*
—— metabolism of triiodothyronine & thyroxine in plasma, pituitary & CNS of rabbit, 836†
—— mono- and di-iodothyrosine; triiodothyronine & thyroxine of blood, in congenital goiter with hypothyroidism, 1216*
—— new serum iodine component in functional Ca. of thyroid, 1315*
—— prolonged thyroid therapy; effect on serum lipoprotein & cholesterol levels, 73*
—— sodium dextro- and levo-thyroxine, 868†
—— thyroidin therapy; effect on skin biopsy findings in children with myxedema, 459*
—— thyroxine and other iodine comps. in blood of cretins, 54*
—— thyroxine; effect on adrenocort. function in g. pigs, 1499*
—— thyroxine, exogenous, and PBI; effect of vit. A suppl. on, 1262*
—— thyroxine; PBI levels foll'g admin. of, in various diseases, 1116*
—— thyroxine-binding globulin in protein mixtures; identification, 863†
—— triiodothyroacetic acid; effect of, in myxedema, 653*
—— triidothyronine and other iodinated comps. in serum after treatment with I^{131}, 118*, 1367*
—— triiodothyronine and thyroxine; effect in non-myx. hypometabolism, 1354*
—— triiodothyronine; biologic effects of, in man, 98*
—— triiodothyronine; conversion of thyroxine to, in vivo, 616*
—— triiodothyronine, cortisone & GH; interactions of, in exper. diabetes, 860†
—— triiodothyronine; effect on iodide balance in rats, 835†
—— triiodothyronine; interrels. with thyroxine, 867†
—— triiodothyronine, NaI & TSH; effects in hyperthyroidism, 715*
—— triiodothyronine or thyroxine, orally; effectiveness in myxedema, 285*
THYROIDITIS: *see* Thyroid disorders
THYROID-STIMULATING HORMONE (TSH): *see* Pituitary preps. & comps., TSH
THYROTOXICOSIS: *see* Thyroid disorders, hyperthyroidism
THYROTROPIC HORMONE (TSH): *see* Pituitary preps. & comps. TSH
THYROXINE: *see* Thyroid preps. & comps.
TISSUES: *see also* Blood; Saliva; Urine; and under specific organ involved
—— connective tissue of skin; histopath. exam. of, in diagnosis of myxedema in children, 459*
—— distribution of I^{131} in, *see* Iodine, radioactive
—— distribution of radioactive substances in: *see* Radioactive
—— extracellular fluid space, tot. body water, electrolyte bal., & mucopolysacchs.; effect of hormones on, 1131*
—— mast cells of peritoneal fluid; influence of GH & cortisol on, 873†
—— of women during pregnancy; relaxin in, 22*
—— sweat; 17-OH-CS in, 829*
TOXIC ADENOMA; TOXIC GOITER: *see* Thyroid disorders, hyperthyroidism
TOXICITY: *see also* Reactions
—— of estradiol in fibroblast cultures, 647*
—— of 9α-fluoro and 9α-chloro hydrocortisone, in rats, 384*
—— of 9α-fluorohydrocortisone in patients with adrenogenital syndrome, 911*
TOXOPLASMOSIS and pituitary dwarfism, 745*
TRAUMA: *see* Stress; Surgery
TRIIODOTHYROACETIC ACID: *see* Thyroid preps. & comps.
TRIIODOTHYRONINE: *see* Thyroid preps. & comps.
TSH: *see* Pituitary preps. & comps., TSH
TUMORS: *see also* Cancer; and under organ or therapy involved
—— adrenal: *see* Adrenal disorders; and Cushing's syndrome

TUMORS (*cont.*)
—— function of, studied by radioiodine: *see* Iodine, radioactive; Radioactive
—— Leydig-cell tumors in Strain A mice; induction of, with estrogen; effect of progesterone on, 875†
—— of pituitary, induced by thyroidectomy, 81*

ULCER, peptic: *see* Gastro-Intestinal Tract
UPJOHN SCHOLAR: *see* Endocrine Society, awards
UPTAKE of I^{131}: *see* Iodine, radioactive; Thyroid physiology
UREA: *see* Nitrogen
URINE: *see also* Kidney
—— adrenal metabolites: *see* Adrenal preps. & comps.; Steroids
—— androgens: *see* Androgens; Steroids
—— calcium; *see* Calcium; Electrolytes; Parathyroids
—— chloride: *see* Electrolytes; Sodium; Addison's disease
—— chorionic gonadotropin: *see* Gonadotropins; Pregnancy
—— corticosteroids (corticoids): *see* Adrenal preps. & comps.; Steroids
—— diabetes insipidus: *see* Pituitary disorders
—— diuresis: *see* Antidiuretic hormone; Kidney; Pituitary preps. & comps., ADH; Water
—— electrolytes; *see* Electrolytes
—— estrogens: *see* Estrogens; Steroids
—— FSH: *see* Gonadotropins
—— gonadotropins: *see* Gonadotropins
—— in pregnancy: *see* Gonadotropins; Pregnancy; Pregnanediol
—— iodine compounds: *see* Iodine
—— 17-ketosteroids: *see* Steroids
—— methods for determination of constituents: *see* Methods; Tests
—— nitrogen: *see* Nitrogen; Protein
—— phosphorus: *see* Phosphorus
—— polyuria: *see* Pituitary preps. & comps., ADH; Water
—— potassium: *see* Potassium; Electrolytes
—— pregnanediol: *see* Pregnanediol
—— radioactive compounds: *see* Radioactive
—— radioactive iodine: *see* Iodine, radioactive
—— renal function: *see* Kidney
—— sodium: *see* Sodium; Electrolytes
—— steroids: *see* Adrenal preps. & comps.; Androgens; Estrogens; Pregnanediol; Steroids
—— sugar: *see* Carbohydrate metabolism; Diabetes; Insulin
UROPEPSIN, urinary; effect of corticosterone & hydrocortisone on, 991*
UTERUS & VAGINA: *see also* Ovary; Menstruation; Pregnancy
—— cervical carcinoma; effect of progesterone on, 151*
—— endometrial biopsies and vaginal smears in castrates treated with 17α-hydroxyprogesterone-caproate, 923*
—— endometrial glycogen; quant. estimation of, using anthrone method, 1106*
——menstruation: *see* Menstruation
——placenta: *see also* Gonadotropins, chorionic; Pregnancy
—— pregnancy: *see* Pregnancy
—— retroplacental & umbilical cord blood; growth hormone-like activity in, 537*
—— uterine growth, estradiol-induced; inhibitory action of hydrocortisone & ACTH on, 895†
—— uterine-weight test (rat); sources of error in clin. bioassays of serum chor. gonadotropin, 424*
—— vaginal smear, as method of endocrine evaluation, 876†
—— vaginal smear: *see also* Estrogens; Menstruation; Ovary
—— vulvar fluorescence; principles of identification & measurement, 784*

VACCINATION with B.C.G.; thyroid function during, in g.pig, 868†
VAGINA & VAGINAL SMEARS: *see* Uterus & Vagina
VAN METER PRIZE AWARD: *see* Am. Goiter A., awards
VASCULAR SYSTEM: *see also* Blood; Heart; Lymphatics
—— hypertension in diabetes m.; effect of hypophysectomy, 391*
—— hypertension, severe; Δ^4-androstene-11β-ol-3, 17-dione in incubates of adrenal from patients with, 382*
—— hypertension with congenital adrenal hyperplasia; unusual steroid pattern in, 1531*
—— vasomotor flushes: *see* Menstruation
—— vasopressor effects of 9-halo-corticoids, 384*
VIRILISM
—— adrenogenital syndrome: *see* Adrenal disorders
—— associated with adrenal disease: *see* Adrenal disorders: and Cushing's syndrome
—— development of, during pregnancy, 1281*
—— differential diagnosis of, 142*

VIRILISM (*cont.*)
—— in gonadal dysgenesis, 1*, 845†, 877†, 1161*
—— masculinizing adrenocort. tumor; pregnancy foll'g removal of, 154*
—— pseudohermaphrodism: *see* Hermaphrodism
—— virilizing adrenal hyperplasia; current therapy of, 373*
VITAMINS
—— A, supplements of; effect on PBI & disposal of exog. thyroxine, 1262*
—— B_{12}, folic acid, & Ca pentothenate; prolonged admin. of, in diabetes, 898†
—— B_{12}, radioactive; effect of cortisone & insulin on excretion of, in rats, 858†
—— C; ascorbic-acid depletion of adrenals, stress-induced; blockade of, 890†
—— C (ascorbic acid); lack of effect on hydrocortisone metabolism in man, 1257*
VULVA: *see* Uterus & Vagina

WATER: see also Kidney; Urine
—— ADH (antidiuretic hormone): *see also* Antidiuretic hormone; Pituitary preps. & comps., ADH
WATER (*cont.*)
—— ADH-neurohypophyseal-renal system in clinical medicine, 265*, 276*
—— diabetes insipidus: *see* Pituitary disorders
—— diuresis assoc'd with stress; N, Na, K & 17-OH-CS excretion during, 1057*
—— excretion after hypophysectomy; effect of cortisone & ACTH on, 553*
—— fluid retention; effect of NaCl intake on, in rats on low Na diet, 873†
—— metabolism, after bilat. adrenalectomy in man, 409*
—— total body water & extracellular fluid space; effect of hormones on, in myxedema, 1131*
WEAVER-FINCH test: *see* Tests
WEIGHT: *see* Growth; Pituitary preps. & comps., growth hormone; and under various endocrinopathies

X-ray: *see* Roentgen-ray

ZIMMERMANN chromogens: *see* Steroids, 17-KS